



**IMS**  
Nederland

**Stainless steel  
flat products**


## IMS Nederland : your reliable partner for steel, stainless steel and aluminum since 1954

IMS Nederland was founded in 1954 in Schiedam, as the Dutch branch of the German group SCHMOLZ+BICKENBACH. Initially, the range mainly consisted of (bare) steel. Over the years, quality steel, stainless steel and aluminium have been added to the delivery program and IMS Nederland has developed into an all-round supplier

Since 2015, the company has been part of the France-based IMS group, which was created in 1980 from the merger of various trading companies and has been part of Jacquet Metal Service since 2010.

IMS group offers a wide range of bar, sheet and tube material in many qualities. These products meet specific requirements that ensure excellent machining by our customers (forging, machining, bending, welding, heat treatment) and have certain mechanical properties when processed. They are used in the production of parts that are subject to severe mechanical loads, such as in many types of machines, engines, lifting equipment, heavy transport equipment, shafts, gears, springs, valves, valves, the automotive industry and the energy sector.

IMS group is now represented in 15 European countries and has 60 distribution centres with a total of approx. 1950 employees



**Stainless steel sheets**

cold rolled, grade 304/1.4301

Size in mm.	Kg/pce.	2B/IIIC	1 side laser foil	1 side polished K320 + laser foil	BA/IIID + laser foil
2 000 x 1 000 x 0,50	8,00	•	-	-	-
2 000 x 1 000 x 0,60	9,60	•	-	-	•
2 000 x 1 000 x 0,80	12,80	•	•	•	•
2 000 x 1 000 x 1,00	16,00	•	•	•	•
2 000 x 1 000 x 1,25	20,00	•	•	•	•
2 000 x 1 000 x 1,50	24,00	•	•	•	•
2 000 x 1 000 x 2,00	32,00	•	•	•	-
2 000 x 1 000 x 2,50	40,00	•	•	•	-
2 000 x 1 000 x 3,00	48,00	•	•	•	-
2 000 x 1 000 x 4,00	64,00	•	•	•	-
2 000 x 1 000 x 5,00	80,00	•	•	•	-
2 000 x 1 000 x 6,00	96,00	•	•	•	-
2 500 x 1 250 x 0,80	20,00	•	•	•	•
2 500 x 1 250 x 1,00	25,00	•	•	•	-
2 500 x 1 250 x 1,25	31,25	•	•	•	-
2 500 x 1 250 x 1,50	37,50	•	•	•	•
2 500 x 1 250 x 2,00	50,00	•	•	•	•
2 500 x 1 250 x 2,50	62,50	•	•	•	-
2 500 x 1 250 x 3,00	75,00	•	•	•	-
2 500 x 1 250 x 4,00	100,00	•	•	•	-
2 500 x 1 250 x 5,00	125,00	•	•	•	-
2 500 x 1 250 x 6,00	150,00	•	•	•	-
3 000 x 1 000 x 1,00	24,00	•	•	•	-
3 000 x 1 000 x 1,50	36,00	•	•	•	-
3 000 x 1 000 x 2,00	48,00	•	•	•	-
3 000 x 1 000 x 2,50	60,00	•	•	•	-
3 000 x 1 000 x 3,00	72,00	•	•	•	-
3 000 x 1 000 x 0,80	24,00	•	•	•	-
3 000 x 1 250 x 1,00	30,00	•	•	•	-
3 000 x 1 250 x 1,25	37,80	•	•	•	-
3 000 x 1 250 x 1,50	45,00	•	•	•	-
3 000 x 1 250 x 2,00	60,00	•	•	•	-
3 000 x 1 250 x 3,00	90,00	•	•	•	-
3 000 x 1 500 x 0,80	28,80	•	-	•	-
3 000 x 1 500 x 1,00	36,00	•	•	•	-
3 000 x 1 500 x 1,25	45,00	•	•	•	-
3 000 x 1 500 x 1,50	54,00	•	•	•	-

---

STAINLESS STEEL COLD ROLLED SHEETS

Size in mm	Kg/pce.	2B/IIIIC	1 side laser foil	1 side polished K320 + laser foil	BA/IIID + laser foil
3000 x 1500 x 2,00	72,00	•	•	•	-
3000 x 1500 x 2,50	90,00	•	•	•	-
3000 x 1500 x 3,00	108,00	•	•	•	-
3000 x 1500 x 4,00	144,00	•	•	•	-
3000 x 1500 x 5,00	180,00	•	•	•	-
3000 x 1500 x 6,00	216,00	•	•	•	-
3000 x 2000 x 3,00	144,00	•	-	-	-
4000 x 1000 x 1,25	40,00	•	•	•	-
4000 x 1000 x 3,00	96,00	•	•	•	-
4000 x 1500 x 1,50	72,00	•	•	•	-
4000 x 1500 x 2,00	96,00	•	•	•	-
4000 x 1500 x 2,50	120,00	•	•	•	-
4000 x 1500 x 3,00	144,00	•	•	•	-
4000 x 2000 x 1,50	96,00	•	-	-	-
4000 x 2000 x 2,00	128,00	•	-	•	-
4000 x 2000 x 2,50	160,00	•	-	-	-
4000 x 2000 x 3,00	192,00	•	-	•	-
4000 x 2000 x 4,00	256,00	•	-	-	-

**Stainless steel sheets**


cold rolled, grade 316L/1.4404

Size in mm.	Kg/pce.	2B/IIIc	1 side laser foil	1 side polished K320 + laser foil
2000 x 1000 x 0,80	12,80	•	•	•
2000 x 1000 x 1,00	16,00	•	•	•
2000 x 1000 x 1,50	24,00	•	•	•
2000 x 1000 x 2,00	32,00	•	•	•
2000 x 1000 x 2,50	40,00	•	•	•
2000 x 1000 x 3,00	48,00	•	•	•
2000 x 1000 x 4,00	64,00	•	•	•
2000 x 1000 x 5,00	80,00	•	•	•
2500 x 1250 x 0,60	15,00	•	•	•
2500 x 1250 x 1,00	25,00	•	•	•
2500 x 1250 x 1,50	37,50	•	•	•
2500 x 1250 x 2,00	50,00	•	•	•
2500 x 1250 x 2,50	62,50	•	•	•
2500 x 1250 x 3,00	75,00	•	•	•
2500 x 1250 x 4,00	100,00	•	•	•
2500 x 1250 x 5,00	125,00	•	•	•
2500 x 1250 x 6,00	150,00	•	•	•
3000 x 1500 x 0,80	28,80	•	•	•
3000 x 1500 x 1,00	36,00	•	•	•
3000 x 1500 x 1,50	54,00	•	•	•
3000 x 1500 x 2,00	72,00	•	•	•
3000 x 1500 x 2,50	90,00	•	•	•
3000 x 1500 x 3,00	108,00	•	•	•
3000 x 1500 x 4,00	144,00	•	•	•
3000 x 1500 x 5,00	180,00	•	•	•
3000 x 1500 x 6,00	216,00	•	•	•
4000 x 1500 x 2,00	96,00	•	•	•

**Stainless steel sheets**

hot rolled, pickled

Size in mm.	Kg/pce.	304/1.4301	316L/1.4404
2000 x 1000 x 3,00	48,00	•	-
2000 x 1000 x 4,00	64,00	•	•
2000 x 1000 x 5,00	80,00	•	•
2000 x 1000 x 6,00	96,00	•	•
2000 x 1000 x 8,00	128,00	•	•
2000 x 1000 x 10,00	160,00	•	•
2000 x 1000 x 12,00	192,00	•	•
2000 x 1000 x 15,00	240,00	•	-
2000 x 1000 x 20,00	320,00	•	-
2000 x 1000 x 25,00	400,00	•	-
2000 x 1000 x 40,00	640,00	•	-
2500 x 1250 x 3,00	75,00	•	-
2500 x 1250 x 4,00	100,00	•	•
2500 x 1250 x 5,00	125,00	•	•
2500 x 1250 x 6,00	150,00	•	•
2500 x 1250 x 8,00	200,00	•	-
2500 x 1250 x 10,00	250,00	•	-
2500 x 1250 x 12,00	300,00	•	-
2500 x 1250 x 15,00	375,00	•	-
2500 x 1250 x 20,00	500,00	•	-
2500 x 1250 x 30,00	750,00	•	-
3000 x 1500 x 3,00	108,00	•	-
3000 x 1500 x 4,00	144,00	•	•
3000 x 1500 x 5,00	180,00	•	•
3000 x 1500 x 6,00	216,00	•	•
3000 x 1500 x 8,00	288,00	•	•
3000 x 1500 x 10,00	360,00	•	•
3000 x 1500 x 12,00	432,00	•	•
3000 x 1500 x 15,00	540,00	•	-
3000 x 1500 x 20,00	720,00	•	-
3000 x 1500 x 25,00	900,00	•	-
3000 x 1500 x 30,00	1080,00	•	-



**Stainless steel perforated sheets**

cold rolled

Size in mm.	Perforation	304/ 1.4301
2000 x 1000 x 1,00	R3/T5	•
2000 x 1000 x 1,00	R5/T8	•
2000 x 1000 x 1,50	R5/T8	•
3000 x 1000 x 1,50	R8/T12	•
3000 x 1000 x 2,00	R10/T15	•
3000 x 1000 x 2,00	R5/T8	•
3000 x 1250 x 3,00	R5/T8	•

**Stainless steel tear plates**

hot rolled, pickled

Size in mm.	Kg/pce.	304/ 1.4301
2000 x 1000 x 3,0/4,5	60,00	•
2000 x 1000 x 4,5/6,0	84,00	•
2500 x 1250 x 3,0/4,5	93,75	•
2500 x 1250 x 4,5/6,0	131,25	•
2500 x 1250 x 6,0/7,5	168,00	•
3000 x 1000 x 3,0/4,5	90,00	•
3000 x 1000 x 4,5/6,0	126,00	•
3000 x 1250 x 3,0/4,5	113,00	•
3000 x 1250 x 4,5/6,0	158,00	•
3000 x 1250 x 6,0/7,5	203,00	•



**Stainless steel decorative sheets**

cold rolled, finish BA/IIID + 1 side laser foil  
grade 304/W.Nr. 1.4301

Size in mm.	Kg/pce.	type 5WL	type 6WL	Linen	Leather
2 500 x 1 250 x 1,00	25,00	•	•	-	-
2 500 x 1 250 x 1,25	31,25	•	•	•	•
2 500 x 1 250 x 1,50	37,50	•	•	•	-
3 000 x 1 000 x 1,50	36,00	-	•	-	-
3 000 x 1 250 x 1,00	30,00	•	•	-	-
3 000 x 1 250 x 1,25	37,50	•	•	•	•
3 000 x 1 250 x 1,50	45,00	•	•	•	-
3 000 x 1 250 x 2,00	60,00	-	•	-	-

**Stainless steel bright annealed sheets**

cold rolled, finish BA/IIID  
grade 430/W.Nr. 1.4016

Size in mm.	Kg/pce.	without foil	1 side laser foil
2 000 x 1 000 x 0,60	9,60	•	-
2 000 x 1 000 x 0,70	11,20	•	-
2 000 x 1 000 x 0,80	11,28	•	•
2 000 x 1 000 x 1,00	16,00	•	•
2 000 x 1 000 x 1,25	20,00	•	•
2 000 x 1 000 x 1,50	24,00	•	•
2 500 x 1 250 x 1,00	25,00	•	•
2 500 x 1 250 x 1,25	31,25	•	•
2 500 x 1 250 x 1,50	37,50	•	•

Other types and qualities on request.

Decorative stainless steel plates in various colors and designs.  
Ask for our special documentation.





## Delivery program

### Bright steel and free cutting steel

- Unalloyed and alloyed, drawn, peeled, polished, heat treated

### Engineering steel

- Unalloyed and alloyed, hot rolled, forged, turned, heat treated

### Stainless steel

- Bars: hot rolled/forged, drawn, ground (round, square, hexagon)
- Sheets: cold rolled (IIC, ground and/or with foil), hot rolled, tear plates, decorative sheets
- Flat bars: hot rolled, slitted, drawn
- Profiles: T, U and angles (cold rolled, extruded or hot rolled)
- Welded construction tubes: not polished or polished G.320
- Welded round tubes: not annealed or annealed, not polished or polished G.320, mirror polished
- Welded annealed tubes acc. ASTM A 312 / EN 10217-7 / EN 10357
- Seamless tubes acc. ASTM A 269 / A 312 en EN 10216-5
- Seamless hollow bars acc. EN 10216-5
- Getrokken draad en walsdraad

### SB-Railing

- Stainless steel components for balustrades and railings
- UNIQ: aluminium clamping profiles for glass balustrades



## Steel tubes

- Seamless or welded precision tubes
- Seamless or welded flame tube
- Seamless hydraulics tubes
- Seamless cylinder tubes
- Seamless boiler tubes
- Welded hollow sections
- Welded gas tubes

## Aluminium

- Bars: round, flat, square
- Profiles: T, U, angle
- Tubes: round, square, rectangular
- Sheets: with or without foil
- Tear plates: 2- or 5-tears, pickled or not pickled
- Extruded profiles according to customers' drawing

Other materials, sizes and qualities on request.



A close-up photograph of several stacked metal profiles, likely aluminum or steel, in a warehouse setting. The profiles are arranged in a grid-like pattern, with some in the foreground and others receding into the background. The lighting is bright, highlighting the metallic surfaces and the geometric shapes of the profiles. A white text box is overlaid on the right side of the image.

**IMS Nederland B.V.**

Gildenweg 21  
NL-3334 KC Zwijndrecht

T: +31 78 6230600  
F: +31 78 6101030

[www.ims-nederland.biz](http://www.ims-nederland.biz)  
[info@ims-nederland.biz](mailto:info@ims-nederland.biz)