



Steel tubes


IMS Nederland : your reliable partner for steel, stainless steel and aluminum since 1954


IMS Nederland was founded in 1954 in Schiedam, as the Dutch branch of the German group SCHMOLZ+BICKENBACH. Initially, the range mainly consisted of (bare) steel. Over the years, quality steel, stainless steel and aluminium have been added to the delivery program and IMS Nederland has developed into an all-round supplier

Since 2015, the company has been part of the France-based IMS group, which was created in 1980 from the merger of various trading companies and has been part of Jacquet Metal Service since 2010.

IMS group offers a wide range of bar, sheet and tube material in many qualities. These products meet specific requirements that ensure excellent machining by our customers (forging, machining, bending, welding, heat treatment) and have certain mechanical properties when processed. They are used in the production of parts that are subject to severe mechanical loads, such as in many types of machines, engines, lifting equipment, heavy transport equipment, shafts, gears, springs, valves, valves, the automotive industry and the energy sector.

IMS group is now represented in 15 European countries and has 60 distribution centres with a total of approx. 1950 employees





Hot rolled seamless tubes

Hot rolled seamless tubes

acc. EN 10216 (DIN 1629)/EN 10210 (DIN 17121)

Sizes from \varnothing 10,2 x 1,8 mm to \varnothing 660 x 100 mm in standard lengths or cut at required length.



| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|-----|-------------|---------|-----|-------------|---------|-----|-------------|---------|------|-------------|
| 10,2 x | 1,8 | 0,373 | | 4,5 | 1,610 | | 2,9 | 1,61 | | 3,6 | 2,50 |
| | 2,0 | 0,404 | | 5,0 | 1,730 | | 3,2 | 1,75 | | 4,0 | 2,74 |
| | 2,3 | 0,448 | 20,0 x | 2,3 | 1,00 | | 3,6 | 1,94 | | 4,5 | 3,03 |
| | 2,6 | 0,487 | | 2,6 | 1,12 | | 4,0 | 2,11 | | 5,0 | 3,30 |
| 13,5 x | 2,0 | 0,567 | | 2,9 | 1,22 | | 4,5 | 2,32 | | 5,6 | 3,62 |
| | 2,3 | 0,635 | | 3,2 | 1,33 | | 5,0 | 2,52 | | 6,3 | 3,96 |
| | 2,6 | 0,699 | | 3,6 | 1,46 | | 5,6 | 2,73 | | 7,1 | 4,32 |
| | 2,9 | 0,758 | | 4,0 | 1,58 | | 6,3 | 2,97 | | 8,0 | 4,70 |
| | 3,2 | 0,813 | | 4,5 | 1,72 | 26,9 x | 2,6 | 1,56 | | 8,8 | 4,99 |
| | 3,6 | 0,879 | | 5,0 | 1,85 | | 2,9 | 1,72 | 33,7 x | 2,9 | 2,20 |
| 16,0 x | 2,0 | 0,691 | 21,3 x | 2,3 | 1,08 | | 3,2 | 1,87 | | 3,2 | 2,41 |
| | 2,3 | 0,777 | | 2,6 | 1,20 | | 3,6 | 2,07 | | 3,6 | 2,67 |
| | 2,6 | 0,859 | | 2,9 | 1,32 | | 4,0 | 2,26 | | 4,0 | 2,93 |
| | 2,9 | 0,937 | | 3,2 | 1,43 | | 4,5 | 2,49 | | 4,5 | 3,24 |
| | 3,2 | 1,010 | | 3,6 | 1,57 | | 5,0 | 2,70 | | 5,0 | 3,54 |
| | 3,6 | 1,100 | | 4,0 | 1,71 | | 5,6 | 2,94 | | 5,6 | 3,88 |
| | 4,0 | 1,180 | | 4,5 | 1,86 | | 6,3 | 3,20 | | 6,3 | 4,26 |
| 17,2 x | 2,0 | 0,750 | | 5,0 | 2,01 | | 7,1 | 3,47 | | 7,1 | 4,66 |
| | 2,3 | 0,845 | | 5,6 | 2,17 | 30,0 x | 2,9 | 1,94 | | 8,0 | 5,07 |
| | 2,6 | 0,936 | 25,0 x | 2,3 | 1,29 | | 3,2 | 2,11 | | 8,8 | 5,40 |
| | 2,9 | 1,020 | | 2,6 | 1,44 | | 3,6 | 2,34 | | 10,0 | 5,84 |
| | 3,2 | 1,100 | | 2,9 | 1,58 | | 4,0 | 2,56 | 35,0 x | 2,9 | 2,30 |
| | 3,6 | 1,210 | | 3,2 | 1,72 | | 4,5 | 2,83 | | 3,2 | 2,51 |
| | 4,0 | 1,300 | | 3,6 | 1,90 | | 5,0 | 3,08 | | 3,6 | 2,79 |
| | 4,5 | 1,410 | | 4,0 | 2,07 | | 5,6 | 3,37 | | 4,0 | 3,06 |
| 19,0 x | 2,3 | 0,947 | | 4,5 | 2,28 | | 6,3 | 3,68 | | 4,5 | 3,38 |
| | 2,6 | 1,050 | | 5,0 | 2,47 | | 7,1 | 4,01 | | 5,0 | 3,70 |
| | 2,9 | 1,150 | | 5,6 | 2,68 | | 8,0 | 4,34 | | 5,6 | 4,06 |
| | 3,2 | 1,250 | | 6,3 | 2,91 | | 8,8 | 4,60 | | 6,3 | 4,46 |
| | 3,6 | 1,370 | 25,4 x | 2,3 | 1,31 | 31,8 x | 2,9 | 2,07 | | 7,1 | 4,89 |
| | 4,0 | 1,480 | | 2,6 | 1,46 | | 3,2 | 2,26 | | 8,0 | 5,33 |

SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|
| | 8,8 | 5,69 | | 12,5 | 9,86 | | 8,8 | 9,81 | | 5,6 | 8,00 |
| 38,0 x | 2,9 | 2,51 | 48,3 x | 2,9 | 3,25 | | 10,0 | 10,90 | | 6,3 | 8,89 |
| | 3,2 | 2,75 | | 3,2 | 3,56 | | 11,0 | 11,70 | | 7,1 | 9,88 |
| | 3,6 | 3,05 | | 3,6 | 3,97 | | 12,5 | 12,80 | | 8,0 | 10,90 |
| | 4,0 | 3,35 | | 4,0 | 4,37 | | 14,2 | 13,90 | | 8,8 | 11,90 |
| | 4,5 | 3,72 | | 4,5 | 4,86 | 57,0 x | 3,2 | 4,25 | | 10,0 | 13,20 |
| | 5,0 | 4,07 | | 5,0 | 5,34 | | 3,6 | 4,74 | | 11,0 | 14,20 |
| | 5,6 | 4,47 | | 5,6 | 5,90 | | 4,0 | 5,23 | | 12,5 | 15,70 |
| | 6,3 | 4,93 | | 6,3 | 6,53 | | 4,5 | 5,83 | | 14,2 | 17,30 |
| | 7,1 | 5,41 | | 7,1 | 7,21 | | 5,0 | 6,41 | | 16,0 | 18,70 |
| | 8,0 | 5,92 | | 8,0 | 7,95 | | 6,3 | 7,88 | | 17,5 | 19,90 |
| | 8,8 | 6,34 | | 8,8 | 8,57 | | 7,1 | 8,74 | 70,0 x | 3,2 | 5,27 |
| | 10,0 | 6,91 | | 10,0 | 9,45 | | 8,0 | 9,67 | | 3,6 | 5,90 |
| | 11,0 | 7,32 | | 11,0 | 10,10 | | 8,8 | 10,50 | | 4,0 | 6,51 |
| 42,4 x | 2,9 | 2,82 | | 12,5 | 11,00 | | 10,0 | 11,60 | | 4,5 | 7,27 |
| | 3,2 | 3,09 | 51,0 x | 2,9 | 3,44 | | 11,0 | 12,50 | | 5,0 | 8,01 |
| | 3,6 | 3,44 | | 3,2 | 3,77 | | 12,5 | 13,70 | | 5,6 | 8,89 |
| | 4,0 | 3,79 | | 3,6 | 4,21 | | 14,2 | 15,00 | | 6,3 | 9,90 |
| | 4,5 | 4,21 | | 4,0 | 4,64 | | 16,0 | 16,20 | | 7,1 | 11,00 |
| | 5,0 | 4,61 | | 4,5 | 5,16 | 60,3 x | 3,2 | 4,51 | | 8,0 | 12,20 |
| | 5,6 | 5,08 | | 5,0 | 5,67 | | 3,6 | 5,03 | | 8,8 | 13,30 |
| | 6,3 | 5,61 | | 5,6 | 6,27 | | 4,0 | 5,55 | | 10,0 | 14,80 |
| | 7,1 | 6,18 | | 6,3 | 6,94 | | 4,5 | 6,19 | | 11,0 | 16,00 |
| | 8,0 | 6,79 | | 7,1 | 7,69 | | 5,0 | 6,82 | | 12,5 | 17,70 |
| | 8,8 | 7,29 | | 8,0 | 8,48 | | 5,6 | 7,55 | | 14,2 | 19,50 |
| | 10,0 | 7,99 | | 8,8 | 9,16 | | 6,3 | 8,39 | | 16,0 | 21,30 |
| | 11,0 | 8,52 | | 10,0 | 10,10 | | 7,1 | 9,32 | | 17,5 | 22,70 |
| 44,5 x | 2,9 | 2,98 | | 11,0 | 10,90 | | 8,0 | 10,30 | | 20,0 | 24,70 |
| | 3,2 | 3,26 | | 12,5 | 11,90 | | 8,8 | 11,20 | 73,0 x | 3,2 | 5,51 |
| | 3,6 | 3,63 | | 14,2 | 12,90 | | 10,0 | 12,40 | | 3,6 | 6,16 |
| | 4,0 | 4,00 | 54,0 x | 2,9 | 3,65 | | 11,0 | 13,40 | | 4,0 | 6,81 |
| | 4,5 | 4,44 | | 3,2 | 4,01 | | 12,5 | 14,70 | | 4,5 | 7,60 |
| | 5,0 | 4,87 | | 3,6 | 4,47 | | 14,2 | 16,10 | | 5,0 | 8,38 |
| | 5,6 | 5,37 | | 4,0 | 4,93 | | 16,0 | 17,50 | | 5,6 | 9,31 |
| | 6,3 | 5,94 | | 4,5 | 5,49 | | 17,5 | 18,50 | | 6,3 | 10,40 |
| | 7,1 | 6,55 | | 5,0 | 6,04 | 63,5 x | 3,2 | 4,76 | | 7,1 | 11,50 |
| | 8,0 | 7,20 | | 5,6 | 6,68 | | 3,6 | 5,32 | | 8,0 | 12,80 |
| | 8,8 | 7,75 | | 6,3 | 7,41 | | 4,0 | 5,87 | | 8,8 | 13,90 |
| | 10,0 | 8,51 | | 7,1 | 8,21 | | 4,5 | 6,55 | | 10,0 | 15,50 |
| | 11,0 | 9,09 | | 8,0 | 9,08 | | 5,0 | 7,21 | | 11,0 | 16,80 |

SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|
| | 12,5 | 18,70 | 88,9 x | 3,6 | 7,57 | | 6,3 | 14,80 | | 5,6 | 15,0 |
| | 14,2 | 20,60 | | 4,0 | 8,38 | | 7,1 | 16,50 | | 6,3 | 16,8 |
| | 16,0 | 22,50 | | 4,5 | 9,37 | | 8,0 | 18,50 | | 7,1 | 18,8 |
| | 17,5 | 24,00 | | 5,0 | 10,30 | | 8,8 | 20,10 | | 8,0 | 21,0 |
| | 20,0 | 26,10 | | 5,6 | 11,50 | | 10,0 | 22,60 | | 8,8 | 22,9 |
| 76,1 x | 3,2 | 5,75 | | 6,3 | 12,80 | | 11,0 | 24,60 | | 10,0 | 25,7 |
| | 3,6 | 6,44 | | 7,1 | 14,30 | | 12,5 | 27,50 | | 11,0 | 28,0 |
| | 4,0 | 7,11 | | 8,0 | 16,00 | | 14,2 | 30,60 | | 12,5 | 31,4 |
| | 4,5 | 7,95 | | 8,8 | 17,40 | | 16,0 | 33,80 | | 14,2 | 35,1 |
| | 5,0 | 8,77 | | 10,0 | 19,50 | | 17,5 | 36,30 | | 16,0 | 38,8 |
| | 5,6 | 9,74 | | 11,0 | 21,10 | | 20,0 | 40,20 | | 17,5 | 41,8 |
| | 6,3 | 10,8 | | 12,5 | 23,60 | | 22,2 | 43,50 | | 20,0 | 46,5 |
| | 7,1 | 12,10 | | 14,2 | 26,20 | | 25,0 | 47,20 | | 22,2 | 50,4 |
| | 8,0 | 13,40 | | 16,0 | 28,80 | | 28,0 | 50,80 | | 25,0 | 55,1 |
| | 8,8 | 14,60 | | 17,5 | 30,80 | | 30,0 | 53,00 | | 28,0 | 59,6 |
| | 10,0 | 16,30 | | 20,0 | 34,00 | | 32,0 | 54,90 | | 30,0 | 62,4 |
| | 11,0 | 17,70 | | 22,2 | 36,50 | 108,0 x | 4,0 | 10,3 | | 32,0 | 64,9 |
| | 12,5 | 19,60 | | 25,0 | 39,40 | | 4,5 | 11,5 | | 36,0 | 69,5 |
| | 14,2 | 21,70 | 95,0 x | 4,0 | 8,98 | | 5,0 | 12,7 | | 40,0 | 73,3 |
| | 16,0 | 23,70 | | 4,5 | 10,00 | | 5,6 | 14,1 | 121,0 x | 4,5 | 12,9 |
| | 17,5 | 25,30 | | 5,0 | 11,10 | | 6,3 | 15,8 | | 5,0 | 14,3 |
| | 20,0 | 27,70 | | 5,6 | 12,30 | | 7,1 | 17,7 | | 5,6 | 15,9 |
| 82,5 x | 3,6 | 7,00 | | 6,3 | 13,80 | | 8,0 | 19,7 | | 6,3 | 17,8 |
| | 4,0 | 7,74 | | 7,1 | 15,40 | | 8,8 | 21,5 | | 7,1 | 19,9 |
| | 4,5 | 8,66 | | 8,0 | 17,20 | | 10,0 | 24,2 | | 8,0 | 22,3 |
| | 5,0 | 9,56 | | 8,8 | 18,70 | | 11,0 | 26,3 | | 8,8 | 24,3 |
| | 5,6 | 10,60 | | 10,0 | 21,00 | | 12,5 | 29,4 | | 10,0 | 27,4 |
| | 6,3 | 11,80 | | 11,0 | 22,80 | | 14,2 | 32,8 | | 11,0 | 29,8 |
| | 7,1 | 13,20 | | 12,5 | 25,40 | | 16,0 | 36,3 | | 12,5 | 33,4 |
| | 8,0 | 14,70 | | 14,2 | 28,30 | | 17,5 | 39,1 | | 14,2 | 37,4 |
| | 8,8 | 16,00 | | 16,0 | 31,20 | | 20,0 | 43,4 | | 16,0 | 41,4 |
| | 10,0 | 17,90 | | 17,5 | 33,40 | | 22,2 | 47,0 | | 17,5 | 44,7 |
| | 11,0 | 19,40 | | 20,0 | 37,00 | | 25,0 | 51,2 | | 20,0 | 49,8 |
| | 12,5 | 21,60 | | 22,2 | 39,90 | | 28,0 | 55,2 | | 22,2 | 54,1 |
| | 14,2 | 23,90 | | 25,0 | 43,20 | | 30,0 | 57,7 | | 25,0 | 59,2 |
| | 16,0 | 26,20 | | 28,0 | 46,30 | | 32,0 | 60,0 | | 28,0 | 64,2 |
| | 17,5 | 28,10 | 101,6 x | 4,0 | 9,63 | | 36,0 | 63,9 | | 30,0 | 67,3 |
| | 20,0 | 30,80 | | 4,5 | 10,80 | 114,3 x | 4,0 | 10,9 | | 32,0 | 70,2 |
| | 22,2 | 33,00 | | 5,0 | 11,90 | | 4,5 | 12,2 | | 36,0 | 75,5 |
| | 25,0 | 35,50 | | 5,6 | 13,30 | | 5,0 | 13,5 | 127,0 x | 4,5 | 13,6 |

SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|
| 127,0 x | 5,0 | 15,0 | | 40,0 | 98,4 | | 45,0 | 119,0 | | 32,0 | 105,0 |
| | 5,6 | 16,8 | 146,0 x | 5,0 | 17,4 | 159,0 x | 5,0 | 19,0 | | 36,0 | 115,0 |
| | 6,3 | 18,8 | | 5,6 | 19,4 | | 5,6 | 21,2 | | 40,0 | 123,0 |
| | 7,1 | 21,0 | | 6,3 | 21,7 | | 6,3 | 23,7 | | 45,0 | 133,0 |
| | 8,0 | 23,5 | | 7,1 | 24,3 | | 7,1 | 26,6 | | 50,0 | 142,0 |
| | 8,8 | 25,7 | | 8,0 | 27,2 | | 8,0 | 29,8 | 168,3 x | 5,0 | 20,1 |
| | 10,0 | 28,9 | | 8,8 | 29,8 | | 8,8 | 32,6 | | 5,6 | 22,5 |
| | 11,0 | 31,5 | | 10,0 | 33,5 | | 10,0 | 36,7 | | 6,3 | 25,2 |
| | 12,5 | 35,3 | | 11,0 | 36,6 | | 11,0 | 40,1 | | 7,1 | 28,2 |
| | 14,2 | 39,5 | | 12,5 | 41,2 | | 12,5 | 45,2 | | 8,0 | 31,6 |
| | 16,0 | 43,8 | | 14,2 | 46,2 | | 14,2 | 50,7 | | 8,8 | 34,6 |
| | 17,5 | 47,3 | | 16,0 | 51,3 | | 16,0 | 56,4 | | 10,0 | 39,0 |
| | 20,0 | 52,8 | | 17,5 | 55,5 | | 17,5 | 61,1 | | 11,0 | 42,7 |
| | 22,2 | 57,4 | | 20,0 | 62,1 | | 20,0 | 68,6 | | 12,5 | 48,0 |
| | 25,0 | 62,9 | | 22,2 | 67,8 | | 22,2 | 74,9 | | 14,2 | 54,0 |
| | 28,0 | 68,4 | | 25,0 | 74,6 | | 25,0 | 82,6 | | 16,0 | 60,1 |
| | 30,0 | 71,8 | | 28,0 | 81,5 | | 28,0 | 90,5 | | 17,5 | 65,1 |
| | 32,0 | 75,0 | | 30,0 | 85,8 | | 30,0 | 95,4 | | 20,0 | 73,1 |
| | 36,0 | 80,8 | | 32,0 | 90,0 | | 32,0 | 100,0 | | 22,2 | 80,0 |
| | 40,0 | 85,8 | | 36,0 | 97,7 | | 36,0 | 109,0 | | 25,0 | 88,3 |
| 139,7 x | 4,5 | 15,0 | 152,4 x | 5,0 | 18,2 | | 40,0 | 117,0 | | 28,0 | 96,9 |
| | 5,0 | 16,6 | | 5,6 | 20,3 | | 45,0 | 127,0 | | 30,0 | 102,0 |
| | 5,6 | 18,5 | | 6,3 | 22,7 | | 50,0 | 134,0 | | 32,0 | 108,0 |
| | 6,3 | 20,7 | | 7,1 | 25,4 | 165,1 x | 5,0 | 19,7 | | 36,0 | 117,0 |
| | 7,1 | 23,2 | | 8,0 | 28,5 | | 5,6 | 22,0 | | 40,0 | 127,0 |
| | 8,0 | 26,0 | | 8,8 | 31,2 | | 6,3 | 24,7 | | 45,0 | 137,0 |
| | 8,8 | 28,4 | | 10,0 | 35,1 | | 7,1 | 27,7 | | 50,0 | 146,0 |
| | 10,0 | 32,0 | | 11,0 | 38,4 | | 8,0 | 31,0 | 171,0 x | 5,6 | 22,8 |
| | 11,0 | 34,9 | | 12,5 | 43,1 | | 8,8 | 33,9 | | 6,3 | 25,6 |
| | 12,5 | 39,2 | | 14,2 | 48,4 | | 10,0 | 38,2 | | 7,1 | 28,7 |
| | 14,2 | 43,9 | | 16,0 | 53,8 | | 11,0 | 41,8 | | 8,0 | 32,2 |
| | 16,0 | 48,8 | | 17,5 | 58,2 | | 12,5 | 47,0 | | 8,8 | 35,2 |
| | 17,5 | 52,7 | | 20,0 | 65,3 | | 14,2 | 52,8 | | 10,0 | 39,7 |
| | 20,0 | 59,0 | | 22,2 | 71,3 | | 16,0 | 58,8 | | 11,0 | 43,4 |
| | 22,2 | 64,3 | | 25,0 | 78,5 | | 17,5 | 63,7 | | 12,5 | 48,9 |
| | 25,0 | 70,7 | | 28,0 | 85,9 | | 20,0 | 71,6 | | 14,2 | 54,9 |
| | 28,0 | 77,1 | | 30,0 | 90,6 | | 22,2 | 78,2 | | 16,0 | 61,2 |
| | 30,0 | 81,2 | | 32,0 | 95,0 | | 25,0 | 86,4 | | 17,5 | 66,2 |
| | 32,0 | 85,0 | | 36,0 | 103,0 | | 28,0 | 94,7 | | 20,0 | 74,5 |
| | 36,0 | 92,1 | | 40,0 | 111,0 | | 30,0 | 100,0 | | 22,2 | 81,5 |

SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|
| | 25,0 | 90,0 | | 20,0 | 84,3 | | 20,0 | 90,3 | | 25,0 | 120,0 |
| | 28,0 | 98,7 | | 22,2 | 92,4 | | 22,2 | 99,0 | | 28,0 | 132,0 |
| | 30,0 | 104,0 | | 25,0 | 102,0 | | 25,0 | 110,0 | | 30,0 | 140,0 |
| | 32,0 | 110,0 | | 28,0 | 113,0 | | 28,0 | 121,0 | | 32,0 | 148,0 |
| | 36,0 | 120,0 | | 30,0 | 119,0 | | 30,0 | 128,0 | | 36,0 | 163,0 |
| | 40,0 | 129,0 | | 32,0 | 125,0 | | 32,0 | 135,0 | | 40,0 | 177,0 |
| | 45,0 | 140,0 | | 36,0 | 138,0 | | 36,0 | 148,0 | | 45,0 | 193,0 |
| | 50,0 | 149,0 | | 40,0 | 149,0 | | 40,0 | 161,0 | | 50,0 | 209,0 |
| 177,8 x | 5,6 | 23,8 | | 45,0 | 162,0 | | 45,0 | 175,0 | | 55,0 | 223,0 |
| | 6,3 | 26,6 | 193,7 x | 6,3 | 29,1 | | 50,0 | 189,0 | 229,0 x | 7,1 | 38,9 |
| | 7,1 | 29,9 | | 7,1 | 32,7 | 216,0 x | 7,1 | 36,6 | | 8,0 | 43,6 |
| | 8,0 | 33,5 | | 8,0 | 36,6 | | 8,0 | 41,0 | | 8,8 | 47,8 |
| | 8,8 | 36,7 | | 8,8 | 40,1 | | 8,8 | 45,0 | | 10,0 | 54,0 |
| | 10,0 | 41,4 | | 10,0 | 45,3 | | 10,0 | 50,8 | | 11,0 | 59,1 |
| | 11,0 | 45,2 | | 11,0 | 49,6 | | 11,0 | 55,6 | | 12,5 | 66,7 |
| | 12,5 | 51,0 | | 12,5 | 55,9 | | 12,5 | 62,7 | | 14,2 | 75,1 |
| | 14,2 | 57,3 | | 14,2 | 62,9 | | 14,2 | 70,7 | | 16,0 | 84,1 |
| | 16,0 | 63,8 | | 16,0 | 70,1 | | 16,0 | 78,9 | | 17,5 | 91,3 |
| | 17,5 | 69,2 | | 17,5 | 76,0 | | 17,5 | 85,7 | | 20,0 | 103,0 |
| | 20,0 | 77,8 | | 20,0 | 85,7 | | 20,0 | 96,7 | | 22,2 | 113,0 |
| | 22,2 | 85,2 | | 22,2 | 93,9 | | 22,2 | 106,0 | | 25,0 | 126,0 |
| | 25,0 | 94,2 | | 25,0 | 104,0 | | 25,0 | 118,0 | | 28,0 | 139,0 |
| | 28,0 | 103,0 | | 28,0 | 114,0 | | 28,0 | 130,0 | | 30,0 | 147,0 |
| | 30,0 | 109,0 | | 30,0 | 121,0 | | 30,0 | 138,0 | | 32,0 | 155,0 |
| | 32,0 | 115,0 | | 32,0 | 128,0 | | 32,0 | 145,0 | | 36,0 | 171,0 |
| | 36,0 | 126,0 | | 36,0 | 140,0 | | 36,0 | 160,0 | | 40,0 | 186,0 |
| | 40,0 | 136,0 | | 40,0 | 152,0 | | 40,0 | 174,0 | | 45,0 | 204,0 |
| | 45,0 | 147,0 | | 45,0 | 165,0 | | 45,0 | 190,0 | | 50,0 | 221,0 |
| | 50,0 | 158,0 | | 50,0 | 177,0 | | 50,0 | 205,0 | | 55,0 | 236,0 |
| | 55,0 | 167,0 | | 55,0 | 188,0 | 219,1 x | 7,1 | 37,1 | | 60,0 | 250,0 |
| 191,0 x | 6,3 | 28,7 | 203,0 x | 6,3 | 30,6 | | 8,0 | 41,6 | 241,0 x | 7,1 | 41,0 |
| | 7,1 | 32,2 | | 7,1 | 34,3 | | 8,8 | 45,6 | | 8,0 | 46,0 |
| | 8,0 | 36,1 | | 8,0 | 38,5 | | 10,0 | 51,6 | | 8,8 | 50,4 |
| | 8,8 | 39,5 | | 8,8 | 42,1 | | 11,0 | 56,5 | | 10,0 | 57,0 |
| | 10,0 | 44,6 | | 10,0 | 47,6 | | 12,5 | 63,7 | | 11,0 | 62,4 |
| | 11,0 | 48,8 | | 11,0 | 52,1 | | 14,2 | 71,8 | | 12,5 | 70,4 |
| | 12,5 | 55,0 | | 12,5 | 58,7 | | 16,0 | 80,1 | | 14,2 | 79,4 |
| | 14,2 | 61,9 | | 14,2 | 66,1 | | 17,5 | 87,0 | | 16,0 | 88,8 |
| | 16,0 | 69,1 | | 16,0 | 73,8 | | 20,0 | 98,2 | | 17,5 | 96,5 |
| | 17,5 | 74,9 | | 17,5 | 80,1 | | 22,2 | 108,0 | | 20,0 | 109,0 |

SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|
| | 22,2 | 120,0 | | 14,2 | 84,0 | | 75,0 | 355,0 | | 30,0 | 184,0 |
| | 25,0 | 133,0 | | 16,0 | 93,9 | | 80,0 | 369,0 | | 32,0 | 195,0 |
| | 28,0 | 147,0 | | 17,5 | 102,0 | 273,0 x | 7,1 | 46,6 | | 36,0 | 216,0 |
| | 30,0 | 156,0 | | 20,0 | 115,0 | | 8,0 | 52,3 | | 40,0 | 236,0 |
| | 32,0 | 165,0 | | 22,2 | 127,0 | | 8,8 | 57,3 | | 45,0 | 260,0 |
| | 36,0 | 182,0 | | 25,0 | 141,0 | | 10,0 | 64,9 | | 50,0 | 282,0 |
| | 40,0 | 198,0 | | 28,0 | 156,0 | | 11,0 | 71,1 | | 55,0 | 304,0 |
| | 45,0 | 218,0 | | 30,0 | 166,0 | | 12,5 | 80,3 | | 60,0 | 324,0 |
| | 50,0 | 236,0 | | 32,0 | 175,0 | | 14,2 | 90,6 | | 65,0 | 343,0 |
| | 55,0 | 252,0 | | 36,0 | 194,0 | | 16,0 | 101,0 | | 70,0 | 361,0 |
| | 60,0 | 268,0 | | 40,0 | 211,0 | | 17,5 | 110,0 | | 75,0 | 377,0 |
| 244,5 x | 7,1 | 41,6 | | 45,0 | 232,0 | | 20,0 | 125,0 | | 80,0 | 393,0 |
| | 8,0 | 46,7 | | 50,0 | 252,0 | | 22,2 | 137,0 | | 85,0 | 407,0 |
| | 8,8 | 51,2 | | 55,0 | 270,0 | | 25,0 | 153,0 | 292,0 x | 8,0 | 56,0 |
| | 10,0 | 57,8 | | 60,0 | 287,0 | | 28,0 | 169,0 | | 8,8 | 61,5 |
| | 11,0 | 63,3 | | 65,0 | 303,0 | | 30,0 | 180,0 | | 10,0 | 69,5 |
| | 12,5 | 71,5 | | 70,0 | 318,0 | | 32,0 | 190,0 | | 11,0 | 76,2 |
| | 14,2 | 80,6 | 267,0 x | 7,1 | 45,5 | | 36,0 | 210,0 | | 12,5 | 86,2 |
| | 16,0 | 90,2 | | 8,0 | 51,5 | | 40,0 | 230,0 | | 14,2 | 97,3 |
| | 17,5 | 98,0 | | 8,8 | 56,0 | | 45,0 | 253,0 | | 16,0 | 109,0 |
| | 20,0 | 111,0 | | 10,0 | 63,4 | | 50,0 | 275,0 | | 17,5 | 118,0 |
| | 22,2 | 122,0 | | 11,0 | 69,4 | | 55,0 | 296,0 | | 20,0 | 134,0 |
| | 25,0 | 135,0 | | 12,5 | 78,5 | | 60,0 | 315,0 | | 22,2 | 148,0 |
| | 28,0 | 149,0 | | 14,2 | 88,5 | | 65,0 | 333,0 | | 25,0 | 165,0 |
| | 30,0 | 159,0 | | 16,0 | 99,0 | | 70,0 | 350,0 | | 28,0 | 182,0 |
| | 32,0 | 168,0 | | 17,5 | 108,0 | | 75,0 | 366,0 | | 30,0 | 194,0 |
| | 36,0 | 185,0 | | 20,0 | 122,0 | | 80,0 | 381,0 | | 32,0 | 205,0 |
| | 40,0 | 202,0 | | 22,2 | 134,0 | | 85,0 | 394,0 | | 36,0 | 227,0 |
| | 45,0 | 221,0 | | 25,0 | 149,0 | 279,0 x | 8,0 | 53,5 | | 40,0 | 249,0 |
| | 50,0 | 240,0 | | 28,0 | 165,0 | | 8,8 | 58,6 | | 45,0 | 274,0 |
| | 55,0 | 257,0 | | 30,0 | 175,0 | | 10,0 | 66,0 | | 50,0 | 298,0 |
| | 60,0 | 273,0 | | 32,0 | 185,0 | | 11,0 | 72,7 | | 55,0 | 321,0 |
| | 65,0 | 288,0 | | 36,0 | 205,0 | | 12,5 | 82,2 | | 60,0 | 343,0 |
| | 70,0 | 301,0 | | 40,0 | 224,0 | | 14,2 | 92,7 | | 65,0 | 364,0 |
| 254,0 x | 7,1 | 43,2 | | 45,0 | 246,0 | | 16,0 | 104,0 | | 70,0 | 383,0 |
| | 8,0 | 48,5 | | 50,0 | 268,0 | | 17,5 | 113,0 | | 75,0 | 401,0 |
| | 8,8 | 53,2 | | 55,0 | 288,0 | | 20,0 | 128,0 | | 80,0 | 418,0 |
| | 10,0 | 60,2 | | 60,0 | 306,0 | | 22,2 | 141,0 | | 85,0 | 434,0 |
| | 11,0 | 65,9 | | 65,0 | 324,0 | | 25,0 | 157,0 | 298,5 x | 8,0 | 57,3 |
| | 12,5 | 74,4 | | 70,0 | 340,0 | | 28,0 | 173,0 | | 8,8 | 62,9 |



SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|------|-------------|---------|------|-------------|---------|------|-------------|---------|------|-------------|
| | 10,0 | 71,1 | | 45,0 | 289,0 | | 12,5 | 96,0 | | 75,0 | 472,0 |
| | 11,0 | 78,0 | | 50,0 | 314,0 | | 14,2 | 108,0 | | 80,0 | 493,0 |
| | 12,5 | 88,2 | | 55,0 | 339,0 | | 16,0 | 121,0 | | 85,0 | 514,0 |
| | 14,2 | 99,6 | | 60,0 | 363,0 | | 17,5 | 132,0 | | 90,0 | 533,0 |
| | 16,0 | 111,0 | | 65,0 | 385,0 | | 20,0 | 150,0 | 343,0 x | 8,8 | 72,5 |
| | 17,5 | 121,0 | | 70,0 | 406,0 | | 22,2 | 165,0 | | 10,0 | 82,1 |
| | 20,0 | 137,0 | | 75,0 | 425,0 | | 25,0 | 184,0 | | 11,0 | 90,1 |
| | 22,2 | 151,0 | | 80,0 | 444,0 | | 28,0 | 204,0 | | 12,5 | 102,0 |
| | 25,0 | 169,0 | | 85,0 | 461,0 | | 30,0 | 217,0 | | 14,2 | 115,0 |
| | 28,0 | 187,0 | | 90,0 | 477,4 | | 32,0 | 230,0 | | 16,0 | 129,0 |
| | 30,0 | 199,0 | 318,0 x | 8,0 | 61,2 | | 36,0 | 256,0 | | 17,5 | 140,0 |
| | 32,0 | 210,0 | | 8,8 | 67,1 | | 40,0 | 280,0 | | 20,0 | 159,0 |
| | 36,0 | 233,0 | | 10,0 | 76,0 | | 45,0 | 310,0 | | 22,2 | 176,0 |
| | 40,0 | 255,0 | | 11,0 | 83,3 | | 50,0 | 338,0 | | 25,0 | 196,0 |
| | 45,0 | 281,0 | | 12,5 | 94,2 | | 55,0 | 365,0 | | 28,0 | 218,0 |
| | 50,0 | 306,0 | | 14,2 | 106,0 | | 60,0 | 390,0 | | 30,0 | 232,0 |
| | 55,0 | 330,0 | | 16,0 | 119,0 | | 65,0 | 415,0 | | 32,0 | 245,0 |
| | 60,0 | 353,0 | | 17,5 | 130,0 | | 70,0 | 438,0 | | 36,0 | 273,0 |
| | 65,0 | 374,0 | | 20,0 | 147,0 | | 75,0 | 460,0 | | 40,0 | 299,0 |
| | 70,0 | 394,0 | | 22,2 | 162,0 | | 80,0 | 481,0 | | 45,0 | 331,0 |
| | 75,0 | 413,0 | | 25,0 | 181,0 | | 85,0 | 501,0 | | 50,0 | 361,0 |
| | 80,0 | 431,0 | | 28,0 | 200,0 | | 90,0 | 519,0 | | 55,0 | 391,0 |
| | 85,0 | 448,0 | | 30,0 | 213,0 | 330,0 x | 12,5 | 97,9 | | 60,0 | 419,0 |
| | 90,0 | 463,0 | | 32,0 | 226,0 | | 14,2 | 111,0 | | 65,0 | 446,0 |
| 305,0 x | 8,0 | 58,6 | | 36,0 | 250,0 | | 16,0 | 124,0 | | 70,0 | 471,0 |
| | 8,8 | 64,3 | | 40,0 | 274,0 | | 17,5 | 135,0 | | 75,0 | 496,0 |
| | 10,0 | 72,8 | | 45,0 | 303,0 | | 20,0 | 153,0 | | 80,0 | 519,0 |
| | 11,0 | 79,8 | | 50,0 | 330,0 | | 22,2 | 169,0 | | 85,0 | 541,0 |
| | 12,5 | 90,2 | | 55,0 | 357,0 | | 25,0 | 188,0 | | 90,0 | 562,0 |
| | 14,2 | 102,0 | | 60,0 | 382,0 | | 28,0 | 209,0 | 355,6 x | 8,8 | 75,3 |
| | 16,0 | 114,0 | | 65,0 | 406,0 | | 30,0 | 222,0 | | 10,0 | 85,2 |
| | 17,5 | 124,0 | | 70,0 | 428,0 | | 32,0 | 235,0 | | 11,0 | 93,5 |
| | 20,0 | 141,0 | | 75,0 | 449,0 | | 36,0 | 261,0 | | 12,5 | 106,0 |
| | 22,2 | 155,0 | | 80,0 | 470,0 | | 40,0 | 286,0 | | 14,2 | 120,0 |
| | 25,0 | 173,0 | | 85,0 | 488,0 | | 45,0 | 316,0 | | 16,0 | 134,0 |
| | 28,0 | 191,0 | | 90,0 | 506,0 | | 50,0 | 345,0 | | 17,5 | 146,0 |
| | 30,0 | 204,0 | 323,9 x | 8,0 | 62,3 | | 55,0 | 373,0 | | 20,0 | 166,0 |
| | 32,0 | 215,0 | | 8,8 | 68,4 | | 60,0 | 399,0 | | 22,2 | 183,0 |
| | 36,0 | 239,0 | | 10,0 | 77,4 | | 65,0 | 425,0 | | 25,0 | 204,0 |
| | 40,0 | 261,0 | | 11,0 | 84,9 | | 70,0 | 449,0 | | 28,0 | 226,0 |

SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|-------|-------------|---------|-------|-------------|---------|-------|-------------|---------|-------|-------------|
| | 30,0 | 241,0 | | 100,0 | 661,0 | | 45,0 | 401,0 | | 20,0 | 210,0 |
| | 32,0 | 255,0 | 394,0 x | 10,0 | 94,7 | | 50,0 | 439,0 | | 22,2 | 231,0 |
| | 36,0 | 284,0 | | 11,0 | 104,0 | | 55,0 | 477,0 | | 25,0 | 259,0 |
| | 40,0 | 311,0 | | 12,5 | 118,0 | | 60,0 | 513,0 | | 28,0 | 288,0 |
| | 45,0 | 345,0 | | 14,2 | 133,0 | | 65,0 | 547,0 | | 30,0 | 307,0 |
| | 50,0 | 377,0 | | 16,0 | 149,0 | | 70,0 | 581,0 | | 32,0 | 326,0 |
| | 55,0 | 408,0 | | 17,5 | 162,0 | | 75,0 | 613,0 | | 36,0 | 363,0 |
| | 60,0 | 437,0 | | 20,0 | 184,0 | | 80,0 | 644,0 | | 40,0 | 400,0 |
| | 65,0 | 466,0 | | 22,2 | 204,0 | | 85,0 | 674,0 | | 45,0 | 444,0 |
| | 70,0 | 493,0 | | 25,0 | 228,0 | | 90,0 | 702,0 | | 50,0 | 487,0 |
| | 75,0 | 519,0 | | 28,0 | 253,0 | | 100,0 | 756,0 | | 55,0 | 529,0 |
| | 80,0 | 544,0 | | 30,0 | 269,0 | 419,0 x | 11,0 | 111,0 | | 60,0 | 570,0 |
| | 85,0 | 567,0 | | 32,0 | 286,0 | | 12,5 | 125,0 | | 65,0 | 609,0 |
| | 90,0 | 590,0 | | 36,0 | 318,0 | | 14,2 | 142,0 | | 70,0 | 647,0 |
| | 100,0 | 630,0 | | 40,0 | 349,0 | | 16,0 | 159,0 | | 75,0 | 684,0 |
| 368,0 x | 8,8 | 78,0 | | 45,0 | 387,0 | | 17,5 | 173,0 | | 80,0 | 720,0 |
| | 10,0 | 88,3 | | 50,0 | 424,0 | | 20,0 | 197,0 | | 85,0 | 755,0 |
| | 11,0 | 96,8 | | 55,0 | 460,0 | | 22,2 | 217,0 | | 90,0 | 788,0 |
| | 12,5 | 110,0 | | 60,0 | 494,0 | | 25,0 | 243,0 | | 100,0 | 851,0 |
| | 14,2 | 124,0 | | 65,0 | 527,0 | | 28,0 | 270,0 | 457,0 x | 11,0 | 121,0 |
| | 16,0 | 139,0 | | 70,0 | 559,0 | | 30,0 | 288,0 | | 12,5 | 137,0 |
| | 17,5 | 151,0 | | 75,0 | 590,0 | | 32,0 | 305,0 | | 14,2 | 155,0 |
| | 20,0 | 172,0 | | 80,0 | 619,0 | | 36,0 | 340,0 | | 16,0 | 174,0 |
| | 22,2 | 189,0 | | 85,0 | 648,0 | | 40,0 | 374,0 | | 17,5 | 190,0 |
| | 25,0 | 211,0 | | 90,0 | 675,0 | | 45,0 | 415,0 | | 20,0 | 216,0 |
| | 28,0 | 235,0 | | 100,0 | 725,0 | | 50,0 | 455,0 | | 22,2 | 238,0 |
| | 30,0 | 250,0 | 406,4 x | 10,0 | 97,8 | | 55,0 | 494,0 | | 25,0 | 266,0 |
| | 32,0 | 265,0 | | 11,0 | 107,0 | | 60,0 | 531,0 | | 28,0 | 296,0 |
| | 36,0 | 295,0 | | 12,5 | 121,0 | | 65,0 | 567,0 | | 30,0 | 316,0 |
| | 40,0 | 324,0 | | 14,2 | 137,0 | | 70,0 | 602,0 | | 32,0 | 335,0 |
| | 45,0 | 358,0 | | 16,0 | 154,0 | | 75,0 | 636,0 | | 36,0 | 374,0 |
| | 50,0 | 392,0 | | 17,5 | 168,0 | | 80,0 | 669,0 | | 40,0 | 411,0 |
| | 55,0 | 425,0 | | 20,0 | 191,0 | | 85,0 | 700,0 | | 45,0 | 457,0 |
| | 60,0 | 456,0 | | 22,2 | 210,0 | | 90,0 | 730,0 | | 50,0 | 502,0 |
| | 65,0 | 486,0 | | 25,0 | 235,0 | | 100,0 | 787,0 | | 55,0 | 545,0 |
| | 70,0 | 514,0 | | 28,0 | 261,0 | 445,0 x | 11,0 | 118,0 | | 60,0 | 587,0 |
| | 75,0 | 542,0 | | 30,0 | 278,0 | | 12,5 | 133,0 | | 65,0 | 628,0 |
| | 80,0 | 568,0 | | 32,0 | 295,0 | | 14,2 | 151,0 | | 70,0 | 668,0 |
| | 85,0 | 593,0 | | 36,0 | 329,0 | | 16,0 | 169,0 | | 75,0 | 707,0 |
| | 90,0 | 617,0 | | 40,0 | 361,0 | | 17,5 | 184,0 | | 80,0 | 744,0 |


SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|-------|-------------|---------|-------|-------------|---------|-------|-------------|---------|-------|-------------|
| | 85,0 | 780,0 | | 50,0 | 549,0 | | 28,0 | 340,0 | | 17,5 | 234,0 |
| | 90,0 | 815,0 | | 55,0 | 597,0 | | 30,0 | 363,0 | | 20,0 | 266,0 |
| | 100,0 | 880,0 | | 60,0 | 644,0 | | 32,0 | 386,0 | | 22,2 | 294,0 |
| 470,0 x | 11,0 | 125,0 | | 65,0 | 689,0 | | 36,0 | 431,0 | | 25,0 | 329,0 |
| | 12,5 | 141,0 | | 70,0 | 734,0 | | 40,0 | 474,0 | | 28,0 | 367,0 |
| | 14,2 | 160,0 | | 75,0 | 777,0 | | 45,0 | 528,0 | | 30,0 | 391,0 |
| | 16,0 | 179,0 | | 80,0 | 819,0 | | 50,0 | 581,0 | | 32,0 | 416,0 |
| | 17,5 | 195,0 | | 85,0 | 859,0 | | 55,0 | 632,0 | | 36,0 | 464,0 |
| | 20,0 | 222,0 | | 90,0 | 899,0 | | 60,0 | 682,0 | | 40,0 | 512,0 |
| | 22,2 | 245,0 | | 100,0 | 974,0 | | 65,0 | 731,0 | | 45,0 | 570,0 |
| | 25,0 | 274,0 | 508,0 x | 12,5 | 153,0 | | 70,0 | 779,0 | | 50,0 | 628,0 |
| | 28,0 | 305,0 | | 14,2 | 173,0 | | 75,0 | 825,0 | | 55,0 | 684,0 |
| | 30,0 | 326,0 | | 16,0 | 194,0 | | 80,0 | 870,0 | | 60,0 | 738,0 |
| | 32,0 | 346,0 | | 17,5 | 212,0 | | 85,0 | 914,0 | | 65,0 | 792,0 |
| | 36,0 | 385,0 | | 20,0 | 241,0 | | 90,0 | 957,0 | | 70,0 | 844,0 |
| | 40,0 | 424,0 | | 22,2 | 266,0 | | 100,0 | 1038,0 | | 75,0 | 895,0 |
| | 45,0 | 472,0 | | 25,0 | 298,0 | 546,0 x | 14,2 | 186,0 | | 80,0 | 945,0 |
| | 50,0 | 518,0 | | 28,0 | 331,0 | | 16,0 | 209,0 | | 85,0 | 994,0 |
| | 55,0 | 563,0 | | 30,0 | 354,0 | | 17,5 | 228,0 | | 90,0 | 1041,0 |
| | 60,0 | 607,0 | | 32,0 | 376,0 | | 20,0 | 259,0 | | 100,0 | 1132,0 |
| | 65,0 | 649,0 | | 36,0 | 419,0 | | 22,2 | 287,0 | 572,0 x | 14,2 | 195,0 |
| | 70,0 | 691,0 | | 40,0 | 462,0 | | 25,0 | 321,0 | | 16,0 | 219,0 |
| | 75,0 | 731,0 | | 45,0 | 514,0 | | 28,0 | 358,0 | | 17,5 | 239,0 |
| | 80,0 | 769,0 | | 50,0 | 565,0 | | 30,0 | 382,0 | | 20,0 | 272,0 |
| | 85,0 | 807,0 | | 55,0 | 614,0 | | 32,0 | 406,0 | | 22,2 | 301,0 |
| | 90,0 | 843,0 | | 60,0 | 663,0 | | 36,0 | 453,0 | | 25,0 | 337,0 |
| | 100,0 | 912,0 | | 65,0 | 710,0 | | 40,0 | 499,0 | | 28,0 | 376,0 |
| 495,0 x | 12,5 | 149,0 | | 70,0 | 756,0 | | 45,0 | 556,0 | | 30,0 | 401,0 |
| | 14,2 | 168,0 | | 75,0 | 801,0 | | 50,0 | 612,0 | | 32,0 | 426,0 |
| | 16,0 | 189,0 | | 80,0 | 844,0 | | 55,0 | 666,0 | | 36,0 | 476,0 |
| | 17,5 | 206,0 | | 85,0 | 887,0 | | 60,0 | 719,0 | | 40,0 | 525,0 |
| | 20,0 | 234,0 | | 90,0 | 928,0 | | 65,0 | 771,0 | | 45,0 | 585,0 |
| | 22,2 | 259,0 | | 100,0 | 1006,0 | | 70,0 | 822,0 | | 50,0 | 644,0 |
| | 25,0 | 290,0 | 521,0 x | 12,5 | 157,0 | | 75,0 | 871,0 | | 55,0 | 701,0 |
| | 28,0 | 322,0 | | 14,2 | 177,0 | | 80,0 | 919,0 | | 60,0 | 758,0 |
| | 30,0 | 344,0 | | 16,0 | 199,0 | | 85,0 | 966,0 | | 65,0 | 813,0 |
| | 32,0 | 365,0 | | 17,5 | 217,0 | | 90,0 | 1012,0 | | 70,0 | 867,0 |
| | 36,0 | 408,0 | | 20,0 | 247,0 | | 100,0 | 1100,0 | | 75,0 | 919,0 |
| | 40,0 | 449,0 | | 22,2 | 273,0 | 559,0 x | 14,2 | 191,0 | | 80,0 | 971,0 |
| | 45,0 | 499,0 | | 25,0 | 306,0 | | 16,0 | 214,0 | | 85,0 | 1021,0 |

SEAMLESS STEEL TUBES

| Size mm | | Weight kg/m | Size mm | | Weight kg/m |
|---------|-------|-------------|---------|-------|-------------|
| | 90,0 | 1070,0 | | 70,0 | 953,0 |
| | 100,0 | 1164,0 | | 75,0 | 1012,0 |
| 610,0 x | 14,2 | 209,0 | | 80,0 | 1069,0 |
| | 16,0 | 234,0 | | 85,0 | 1126,0 |
| | 17,5 | 256,0 | | 90,0 | 1181,0 |
| | 20,0 | 291,0 | | 100,0 | 1287,0 |
| | 22,2 | 322,0 | 660,0 x | 17,5 | 277,0 |
| | 25,0 | 361,0 | | 20,0 | 316,0 |
| | 28,0 | 402,0 | | 22,2 | 349,0 |
| | 30,0 | 429,0 | | 25,0 | 392,0 |
| | 32,0 | 456,0 | | 28,0 | 436,0 |
| | 36,0 | 510,0 | | 30,0 | 466,0 |
| | 40,0 | 562,0 | | 32,0 | 496,0 |
| | 45,0 | 627,0 | | 36,0 | 554,0 |
| | 50,0 | 691,0 | | 40,0 | 612,0 |
| | 55,0 | 753,0 | | 45,0 | 683,0 |
| | 60,0 | 814,0 | | 50,0 | 752,0 |
| | 65,0 | 874,0 | | 55,0 | 821,0 |
| | 70,0 | 932,0 | | 60,0 | 888,0 |
| | 75,0 | 990,0 | | 65,0 | 954,0 |
| | 80,0 | 1046,0 | | 70,0 | 1019,0 |
| | 85,0 | 1101,0 | | 75,0 | 1082,0 |
| | 90,0 | 1154,0 | | 80,0 | 1144,0 |
| | 100,0 | 1258,0 | | 85,0 | 1205,0 |
| 622,0 x | 14,2 | 213,0 | | 90,0 | 1265,0 |
| | 16,0 | 239,0 | | 100,0 | 1381,0 |
| | 17,5 | 261,0 | | | |
| | 20,0 | 297,0 | | | |
| | 22,2 | 328,0 | | | |
| | 25,0 | 368,0 | | | |
| | 28,0 | 410,0 | | | |
| | 30,0 | 438,0 | | | |
| | 32,0 | 466,0 | | | |
| | 36,0 | 520,0 | | | |
| | 40,0 | 574,0 | | | |
| | 45,0 | 640,0 | | | |
| | 50,0 | 705,0 | | | |
| | 55,0 | 769,0 | | | |
| | 60,0 | 832,0 | | | |
| | 65,0 | 893,0 | | | |







Seamless steel precision tubes

Round

EN 10305-1, E235+C, in lengths of 5-7 mtr.



| ø | mm | ø | mm | ø | mm | ø | mm |
|------|-----|------|-----|------|-----|------|----|
| 6 x | 1 | | 2,5 | | 2 | | 7 |
| | 1,5 | | 3 | | 2,5 | 40 x | 2 |
| 8 x | 1 | | 3,5 | | 3 | | 3 |
| | 1,5 | 20 x | 1 | | 4 | | 4 |
| | 2 | | 1,5 | | 4,5 | | 5 |
| 10 x | 1 | | 2 | | 5 | | 6 |
| | 1,5 | | 2,5 | | 5,5 | | 7 |
| | 2 | | 3 | | 6 | | 8 |
| | 2,5 | | 3,5 | 30 x | 2 | 42 x | 5 |
| 12 x | 1 | | 4 | | 2,5 | 45 x | 4 |
| | 1,5 | | 4,5 | | 3 | | 5 |
| | 2 | | 5 | | 3,5 | | 6 |
| | 2,5 | | 6 | | 4 | | 7 |
| | 3 | 22 x | 1,5 | | 4,5 | 50 x | 2 |
| 14 x | 1 | | 2 | | 5 | | 3 |
| | 1,5 | | 2,5 | | 6 | | 4 |
| | 2 | | 3 | 32 x | 2 | | 5 |
| | 2,5 | | 4 | | 2,5 | | 6 |
| | 3 | | 5 | | 3 | | 7 |
| | 3,5 | 24 x | 3,5 | | 4 | 60 x | 2 |
| 15 x | 1 | | 5 | | 5 | | 3 |
| | 1,5 | 25 x | 1,5 | 35 x | 2 | | 4 |
| | 2 | | 2 | | 2,5 | | 5 |
| | 2,5 | | 2,5 | | 3 | | 6 |
| | 3 | | 3 | | 4 | | 7 |
| | 4 | | 3,5 | | 5 | 70 x | 3 |
| 16 x | 1 | | 4 | | 6 | | 4 |
| | 1,5 | | 4,5 | | 7 | | 5 |
| | 2 | | 5 | 38 x | 2 | | 6 |
| | 2,5 | | 6 | | 2,5 | 80 x | 3 |
| | 3 | 26 x | 2 | | 3 | | 4 |
| | 4 | | 3 | | 3,5 | | 5 |
| 18 x | 1 | | 4 | | 4 | | 6 |
| | 1,5 | | 5 | | 5 | | |
| | 2 | 28 x | 1,5 | | 6 | | |

Welded steel precision tubes

Round

pickled hot strip

Available from stock

EN 10305-3, in lengths of ca. 6 mtr.



| ø | mm | ø | mm | ø | mm | ø | mm |
|------|-----|------|-----|------|-----|--------|------|
| 12 x | 1,5 | | 2 | 32 x | 1,5 | | 3 |
| | 2 | 20 x | 1,5 | | 2 | 50 x | 1,5 |
| 13 x | 1,5 | | 2 | | 2,5 | | 2 |
| 14 x | 1,5 | 22 x | 1,5 | 35 x | 1,5 | | 3 |
| | 2 | | 2 | | 2 | 60 x | 1,5 |
| 15 x | 1,5 | | 2,5 | | 2,5 | | 2 |
| | 2 | 25 x | 1,5 | 38 x | 1,5 | | 3 |
| 16 x | 1,5 | | 2 | | 2 | 63,5 x | 1,75 |
| | 2 | 28 x | 1,5 | | 2,5 | | 2,9 |
| 18 x | 1,5 | | 2 | 40 x | 1,5 | 80 x | 2 |
| | 2 | 30 x | 1,5 | | 2 | | 3 |
| 19 x | 1,5 | | 2 | | 2,5 | | |

Welded steel hollow sections

Square

hot rolled strip

Available from stock

EN 10305-5, in lengths of ca. 6 mtr.



| | |
|---------------|---------------|
| 15 x 15 x 1,5 | 40 x 40 x 2 |
| 15 x 15 x 2 | 40 x 40 x 3 |
| 20 x 20 x 1,5 | 40 x 40 x 4 |
| 20 x 20 x 2 | 45 x 45 x 2 |
| 25 x 25 x 1,5 | 50 x 50 x 1,5 |
| 25 x 25 x 2 | 50 x 50 x 2 |
| 30 x 30 x 1,5 | 50 x 50 x 3 |
| 30 x 30 x 2 | 50 x 50 x 4 |
| 30 x 30 x 3 | 60 x 60 x 2 |
| 35 x 35 x 1,5 | 60 x 60 x 3 |
| 35 x 35 x 2 | 60 x 60 x 4 |
| 40 x 40 x 1,5 | |

Welded steel hollow sections

Rectangular

hot rolled strip

Available from stock

EN 10305-5, in lengths of ca. 6 mtr.



| | |
|---------------|---------------|
| 20 x 10 x 1,5 | 40 x 10 x 2 |
| 20 x 10 x 2 | 40 x 15 x 2 |
| 20 x 15 x 1,5 | 40 x 20 x 1,5 |
| 20 x 15 x 2 | 40 x 20 x 2 |
| 25 x 10 x 1,5 | 40 x 25 x 1,5 |
| 25 x 10 x 2 | 40 x 25 x 2 |
| 25 x 15 x 1,5 | 40 x 30 x 2 |
| 25 x 15 x 2 | 50 x 20 x 1,5 |
| 25 x 20 x 1,5 | 50 x 20 x 2 |
| 25 x 20 x 2 | 50 x 25 x 1,5 |
| 30 x 10 x 1,5 | 50 x 25 x 2 |
| 30 x 10 x 2 | 50 x 30 x 1,5 |
| 30 x 15 x 1,5 | 50 x 30 x 2 |
| 30 x 15 x 2 | 50 x 30 x 3 |
| 30 x 20 x 1,5 | 50 x 40 x 2 |
| 30 x 20 x 2 | 60 x 20 x 2 |
| 30 x 25 x 2 | 60 x 30 x 2 |
| 35 x 15 x 1,5 | 60 x 30 x 3 |
| 35 x 15 x 2 | 60 x 40 x 1,5 |
| 35 x 20 x 1,5 | 60 x 40 x 2 |
| 35 x 25 x 1,5 | 60 x 40 x 3 |
| 35 x 25 x 2 | 80 x 30 x 2 |
| 40 x 10 x 1,5 | 80 x 40 x 2 |

We can also deliver on short term:

- » Welded steel medium tubes
- » Welded steel Isolight tubes
- » Welded steel construction tubes
- » Welded steel precision tubes EN 10305-2
- » Welded steel flatoval tubes
- » Seamless steel hydraulics tubes
- » Seamless steel cylinder tubes
- » Seamless steel boiler tubes
- » Cold rolled hollow sections EN 10219
- » Hot rolled hollow sections EN 10210





Delivery program

Bright steel and free cutting steel

- Unalloyed and alloyed, drawn, peeled, polished, heat treated

Engineering steel


- Unalloyed and alloyed, hot rolled, forged, turned, heat treated

Stainless steel

- Bars: hot rolled/forged, drawn, ground (round, square, hexagon)
- Sheets: cold rolled (IIC, ground and/or with foil), hot rolled, tear plates, decorative sheets
- Flat bars: hot rolled, slitted, drawn
- Profiles: T, U and angles (cold rolled, extruded or hot rolled)
- Welded construction tubes: not polished or polished G.320
- Welded round tubes: not annealed or annealed, not polished or polished G.320, mirror polished
- Welded annealed tubes acc. ASTM A 312 / EN 10217-7 / EN 10357
- Seamless tubes acc. ASTM A 269 / A 312 en EN 10216-5
- Seamless hollow bars acc. EN 10216-5
- Getrokken draad en walsdraad

SB-Railing

- Stainless steel components for balustrades and railings
- UNIQ: aluminium clamping profiles for glass balustrades



Steel tubes

- Seamless or welded precision tubes
- Seamless or welded flame tube
- Seamless hydraulics tubes
- Seamless cylinder tubes
- Seamless boiler tubes
- Welded hollow sections
- Welded gas tubes

Aluminium

- Bars: round, flat, square
- Profiles: T, U, angle
- Tubes: round, square, rectangular
- Sheets: with or without foil
- Tear plates: 2- or 5-tears, pickled or not pickled
- Extruded profiles according to customers' drawing

Other materials, sizes and qualities on request.

A close-up photograph of several stacked metal profiles, likely aluminum or steel, in a warehouse setting. The profiles are arranged in a grid-like pattern, with some in the foreground and others receding into the background. The lighting is bright, highlighting the metallic surfaces and the geometric shapes of the profiles. A white text box is overlaid on the right side of the image.

IMS Nederland B.V.

Gildenweg 21
NL-3334 KC Zwijndrecht

T: +31 78 6230600
F: +31 78 6101030

www.ims-nederland.biz
info@ims-nederland.biz