

W-nr.		Artikelomschrijving	Lgt	Contact
1.1181	C35	C 35 RD 180 MM	1167 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 110 MM	1040 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 140 MM	1825 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 60 MM	1270 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 65 MM	2480 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 70 MM	950 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 75 MM	930 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 75 MM	1060 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	140 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	300 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1380 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	1410 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	1485 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	1610 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	2390 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	2410 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	790 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	1555 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	1585 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	500 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	500 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	2450 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	1920 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 110 MM	2300 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	545 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	560 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	920 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	792 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	1100 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	625 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	1703 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	340 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	715 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1035 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1410 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1635 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	290 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	390 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	410 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	768 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	995 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	217 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	415 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	420 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	520 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	600 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.1191	C45	C 45 RD 160 MM	787 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	482 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	368 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	610 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	892 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 170 MM	635 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	1285 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	342 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	2100 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 210 MM	1673 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 220 MM	373 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	340 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	625 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	1090 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	1640 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	448 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	1000 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	233 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	378 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	720 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 230 MM	280 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 230 MM	1285 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	405 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	580 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 320 MM	305 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 320 MM	2003 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 330 MM	560 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 340 MM	110 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 360 MM	375 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	205 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	538 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	1032 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 390 MM	725 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 400 MM	355 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 430 MM	2140 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 440 MM	1908 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 450 MM	865 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 460 MM	1240 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	230 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	488 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 490 MM	368 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	1142 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	1863 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	2418 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 200 MM	850 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 200 MM	1090 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 200 MM	1375 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 210 MM	1915 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	293 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	298 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	415 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.1191	C45	C 45 N" RD 240 MM	970 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	294 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	1060 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	2190 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 260 MM	180 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 270 MM	705 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 280 MM	1700 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 N" RD 290 MM	1315 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 300 MM	225 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	220 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	380 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	1040 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 240 MM	135 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 240 MM	380 MM	R. Boehlee 078-6230652
1.1191	C45	C 45E 4KT 130 MM	71 MM	R. Boehlee 078-6230652
1.1191	C45	C 45E 4KT 130 MM	2055 MM	R. Boehlee 078-6230652
1.1191	C45	C 45E 4KT 130 MM	71 MM	R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	670 MM	R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	2000 MM	R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	2020 MM	R. Boehlee 078-6230652
1.1191	C45	RD 160 EN 10060 C45E +N	963 MM	R. Boehlee 078-6230652
1.1201	C45	RD 180 EN 10060 C45R +N	995 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 190 MM	757 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 210 MM	485 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 240 MM	1222 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 260 MM	1600 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 280 MM	725 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 N" RD 380 MM	1678 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 160 EN 10060 S355J2 +N	1715 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 170 EN 10060 S355J2 +N	710 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 180 EN 10060 S355J2 +N	540 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 180 EN 10060 S355J2 +N	695 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 330 S355J2G3 +N	355 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355J2 4KT 100 MM +AR	1490 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 320 MM	663 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	405 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	405 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	1240 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	335 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	1830 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 360 MM	215 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 360 MM	317 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 370 MM	390 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 370 MM	1030 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 380 MM	300 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 390 MM	1385 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 400 MM	2495 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 410 MM	1218 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 430 MM	2245 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 440 MM	1810 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 440 MM	2495 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0570	St52-3	S355J2G3 RD 450 MM	285 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 450 MM	1130 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	275 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	370 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 470 MM	1463 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 480 MM	1095 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 500 MM	140 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 540 MM	525 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355J2G3+N" RD 200 MM	1638 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355J2G3+N" RD 200 MM	2035 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 210 MM	203 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 210 MM	325 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	390 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	425 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 230 MM	1495 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 240 MM	663 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 250 MM	704 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 270 MM	1957 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 280 MM	2415 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 290 MM	1312 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 300 MM	1390 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 210 MM	220 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	230 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	250 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	1270 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	240 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	985 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	328 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	555 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	590 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	370 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 260 MM	365 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 260 MM	1890 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	293 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	704 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355JO RD 300 MM	335 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	1590 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	1695 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 85 MM	1500 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 85 MM	2130 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 100 MM	1510 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 100 MM	1600 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 105 MM	470 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 105 MM	1210 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1010 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1195 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1205 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	1130 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	1530 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	405 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	2280 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0553	St52-3	S355JO/2 RD 130 MM	470 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	995 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	1590 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	475 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	2050 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 140 MM	450 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 140 MM	600 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 145 MM	925 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	285 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	285 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 155 MM	760 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 160 MM	390 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 160 MM	660 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 170 MM	2055 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	335 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	588 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	782 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 190 MM	1050 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 200 MM	890 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 200 MM	1460 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 200 MM	1805 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 80 MM	1820 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	1410 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	1820 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 100 MM	415 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 100 MM	2060 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 105 MM	510 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 115 MM	1000 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 130 MM	1960 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 135 MM	2170 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 140 MM	1385 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 150 MM	580 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 160 MM	2000 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 170 MM	1970 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	680 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	1018 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 220 MM	1415 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 230 MM	610 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 290 MM	622 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 310 MM	895 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 340 MM	1415 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 360 MM	425 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 380 MM	320 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 380 MM	560 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 400 MM	650 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	212 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	678 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 440 MM	238 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 440 MM	1280 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 460 MM	658 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 80 MM	1215 MM	R. Boehlee 078-6230652

Korte stukken 20-7-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 100 MM	2500 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1010 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1163 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1210 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 150 MM	760 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 180 MM	2013 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 190 MM	470 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 240 MM	1710 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 300 MM	405 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 95 MM	2102 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 105 MM	1590 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 115 MM	2150 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 140 MM	1547 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	340 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	958 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 200 MM	1065 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 280 MM	1133 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 100 MM	1480 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 180 MM	1770 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 65 MM	650 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 70 MM	1180 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 80 MM	1610 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 90 MM	945 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	600 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	500 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 125 MM	2255 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 130 MM	572 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 140 MM	625 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 160 MM	1945 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 170 MM	1805 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 180 MM	340 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 190 MM	1045 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 190 MM	1415 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 210 MM	1235 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 210 MM	1595 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	510 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	980 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	1725 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 240 MM	360 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 240 MM	1045 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 250 MM	530 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	445 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	660 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	740 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	398 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	402 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	493 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	645 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	662 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	980 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	825 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	1887 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 290 MM	723 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 320 MM	1690 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 330 MM	1045 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 330 MM	1490 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 340 MM	598 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 360 MM	135 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 400 MM	1495 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 410 MM	1055 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 45 MM	1085 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 50 MM	1990 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2080 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2090 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2280 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2400 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	490 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	740 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 75 MM	1680 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	645 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	925 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	1300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	2115 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	570 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	115 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	120 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	640 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	1470 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	1650 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 95 MM	1800 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	75 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	160 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	1990 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 110 MM	1000 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 115 MM	860 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	415 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	250 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	290 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	290 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	470 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	2205 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	320 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	395 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	1420 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	2020 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMo(S)4+QT RD 145 MM	1780 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 145 MM	1813 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	2030 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	620 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	2250 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 155 MM	400 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	200 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	290 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	865 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	915 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	1448 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 165 MM	743 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	333 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	852 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	925 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	650 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	920 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	1175 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	1800 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	2360 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	120 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	195 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	230 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	325 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	335 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	995 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	1318 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	1670 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM (RESQ)	300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 210 MM	2005 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	405 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	265 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	775 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	780 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	785 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	120 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	930 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	930 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 250 MM	135 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	350 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	370 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	350 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	357 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 280 MM	2010 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	625 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	730 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 300 MM	565 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	522 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	1420 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 320 MM	405 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 320 MM	1040 MM		R. Boehlee 078-6230652

Korte stukken 20-7-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMo(S)4+QT' RD 320 MM	1892 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	338 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	408 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	415 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	435 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	440 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	467 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	468 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	476 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	485 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	488 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	550 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	620 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	775 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 420 MM	1413 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 430 MM	390 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QT+C/SH RD 70 MM	1025 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QT+C/SH RD 70 MM	1025 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QT+C/SH RD 75 MM	1780 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QT+C/SH RD 80 MM	1095 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	435 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	710 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	910 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1305 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1305 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1325 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1340 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.0501	C35 blank	C 35 C/SH RD 80 MM 6 M	1525 MM		K. Meijer 078-6230661
1.0501	C35 blank	C 35 C/SH RD 80 MM 6 M	1870 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 75 MM 6 M	1655 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	725 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	800 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	1735 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	1735 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 85 MM 6 M	1240 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 90 MM 6 M	2040 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 100 MM 6 M	790 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 100 MM 6 M	1220 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 110 MM 6 M	1870 MM		K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 130 MM 6 M	1275 MM		K. Meijer 078-6230661
1.0503	C45 blank	FL 60 x 40 h11 C45 +C 6000	1660 MM		K. Meijer 078-6230661
1.0503	C45 blank	FL 70 x 50 h11 C45 +C	1635 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C 4KT 90 MM	1290 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C 4KT 100 MM	2150 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 70 MM 6 M	670 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 75 MM 6 M	560 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 120 MM 6 M	650 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 120 MM 6 M	2485 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 125 MM 6 M	1210 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 40 MM 6M	735 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 100 MM 6M	1525 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 115 MM 6M	2025 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 120 MM 6M	485 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 125 MM 6M	425 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 140 MM 6M	290 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 140 MM 6M	860 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C RD 100 MM 6M S = 0,02-0,035%	1600 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C RD 100 MM 6M S = 0,02-0,035%	1735 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C RD 110 MM 6M S = 0,02-0,035%	1140 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 90 MM	525 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 90 MM	1550 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 100 MM	2425 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 120 MM	2110 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 70 MM	2105 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 85 MM	1840 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30SH RD 100 MM	840 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30SH RD 100 MM	2035 MM		K. Meijer 078-6230661
1.0762	ETG88	RD 85,72 h12 ETG88 +C+T	1770 MM		K. Meijer 078-6230661

W-nr.		Artikelomschrijving	Lgt	Contact
1.4305	RVS 303	T.303 RD 70 MM	1290 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 90 MM	729 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 90 MM	1254 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 110 MM	768 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 110 MM	1133 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 140 MM	496 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 80 MM	598 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 80 MM	1234 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 85 MM	363 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 110 MM	533 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 120 MM	842 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 120 MM	1258 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 140 MM	1300 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 160 MM	1930 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 160 MM	378 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 170 MM	889 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 210 MM	141 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 210 MM	241 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 210 MM	437 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 220 MM	317 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 220 MM	410 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 230 MM	2470 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 230 MM	708 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 250 MM	965 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 260 MM	960 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	650 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	921 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	1083 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 280 MM	518 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 280 MM	1663 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 300 MM	835 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 IM RD 325 MM	115 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 IM RD 325 MM	280 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 80 MM	1198 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 85 MM	976 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 85 MM	1051 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 110 MM	609 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 125 MM	1177 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 125 MM	1257 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 140 MM	1325 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 160 MM	629 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 180 MM	1245 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 200 MM	200 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 250 MM	1175 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 280 MM	1822 MM	R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 150 MM	500 MM	R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 150 MM	1206 MM	R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 170 MM	568 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	885 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	934 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	965 MM	R. den Ouden 078-6230645

Korte stukken 20-7-2018

W-nr.		Artikelomschrijving	Lgt	Contact
1.4104	RVS 430F	T.430 F RD 80 MM	976 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1039 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1065 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1068 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1086 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1090 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1132 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1136 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1151 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1354 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1356 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1370 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 200 MM	287 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 90 MM	756 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 105 MM	1320 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	734 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	784 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 170 MM	687 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 300 MM	401 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 300 MM	750 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	475 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	520 MM	R. den Ouden 078-6230645
1.4021	RVS 1.4021	RD 240 1.4021 +QT800+SH	289 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	362 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 125 MM	1221 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 130 MM	984 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 130 MM	1255 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 150 MM	838 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 160 MM	967 MM	R. den Ouden 078-6230645
1.4542	RVS 1.4542	W.NR.1.4542+AT RD 180 MM	1020 MM	R. den Ouden 078-6230645

W-nr.		Artikelomschrijving	Lgt	Contact
1.4301	RVS 304	T.304-RD 80 X 63 MM	406 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 85 X 45 MM	914 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 90 X 50 MM	1390 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 90 X 50 MM	900 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 90 X 71 MM	626 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 95 X 50 MM	339 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 100 X 56 MM	746 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 100 X 71 MM	723 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 100 X 71 MM	1020 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 100 X 71 MM	1209 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 106 X 56 MM	500 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 106 X 56 MM	634 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 106 X 63 MM	1050 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 106 X 63 MM	1085 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 106 X 71 MM	555 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 106 X 80 MM	441 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 112 X 71 MM	1009 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 125 X 100 MM	435 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 125 X 100 MM	826 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 125 X 100 MM	1065 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 132 X 90 MM	900 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 132 X 90 MM	946 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 140 X 100 MM	331 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 150 X 80 MM	991 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 170 X 130 MM	283 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 170 X 130 MM	334 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 190 X 132 MM	776 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 190 X 150 MM	1117 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 190 X 160 MM	1146 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 200 X 160 MM	483 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 200 X 160 MM	708 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 236 X 150 MM	630 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 236 X 190 MM	450 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 250 X 200 MM	306 MM	F. Baidenmann 078-6230635
1.4301	RVS 304	T.304-RD 250 X 200 MM	619 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 80 X 40 MM	661 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 80 X 63 MM	644 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 90 / 50 MM	948 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 112 X 71 MM	956 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 132 X 106 MM	831 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 150 X 95 MM	1078 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 150 X 106 MM	768 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 160 X 112 MM	1061 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 160 X 132 MM	788 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 170 X 140 MM	975 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 180 X 125 MM	872 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 212 X 150 MM	628 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	293 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	593 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	254 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	511 MM	F. Baidenmann 078-6230635

Korte stukken 20-7-2018

W-nr.		Artikelomschrijving	Lgt		Contact
3.2315	AlMgSi1/51ST	AlMgSi1/51 ST RD 320 MM Gegoten	196 MM		F. Steenbrink 078-6230625
3.1655	AlCuBiPb/2011	AlCuBiPb/2011 RD 180 MM	1088 MM		F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	207 MM		F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	302 MM		F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	419 MM		F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM		F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM		F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM		F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM		F. Steenbrink 078-6230625

Korte stukken 20-7-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.8159	51CrV4	51CrV4+A RD 142 MM	2415 MM		T. Salden 078-6230651
1.8159	51CrV4	51CrV4+A RD 190 MM	2100 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 202,0 MM	697 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 232,0 MM	588 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 313,0 MM	1553 MM		T. Salden 078-6230651
1.2436	W-nr. 1.2436	W.NR.1.2436 RD 202,0 MM	1940 MM		T. Salden 078-6230651