

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt	Contact
1.1181	C35	C 35 RD 180 MM	1167 MM	R. Boehlee 078-6230652
1.1181	C35	C 35 RD 250 MM	3428 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 140 MM	2820 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 160 MM	3430 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 55 MM	3330 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 60 MM	3940 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 70 MM	3030 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 70 MM	3000 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 70 MM	3000 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 70 MM	1550 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 75 MM	3960 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	2750 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	2740 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1930 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1250 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	300 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	2595 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	2205 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	1200 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	1040 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	2725 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	2205 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	3736 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	2350 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	2660 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	2200 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	1875 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	1058 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	1922 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	625 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	3550 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1022 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	715 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 135 MM	2450 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 135 MM	980 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 135 MM	758 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	2490 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	463 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	3730 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	1138 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	750 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 155 MM	1220 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	3045 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	2310 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	2110 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	610 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 170 MM	693 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 175 MM	785 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	2248 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	2220 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	900 MM	R. Boehlee 078-6230652

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt	Contact
1.1191	C45	C 45 RD 190 MM	1985 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	1960 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	39 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 200 MM	2188 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 210 MM	3550 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 220 MM	2865 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	2248 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	485 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 260 MM	498 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	1445 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	1428 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	448 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 280 MM	1660 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 290 MM	2188 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	3618 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 230 MM	795 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	1675 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	1055 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	808 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	692 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 330 MM	3420 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 340 MM	1760 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 340 MM	110 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 350 MM	3290 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	580 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 390 MM	785 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 400 MM	595 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 400 MM	343 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 410 MM	2400 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 410 MM	1132 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 440 MM	1165 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 460 MM	1300 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 460 MM	1240 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	3800 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	488 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	230 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 150 MM	2980 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 150 MM	1855 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	3070 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	1443 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	1370 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	1290 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.1191	C45	C 45 N" RD 200 MM	1595 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	1860 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	1420 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	925 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	710 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	293 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	445 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	415 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	413 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	298 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	905 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	820 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 260 MM	1960 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 260 MM	1062 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 270 MM	705 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 280 MM	1748 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 N" RD 290 MM	1982 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 300 MM	3905 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 300 MM	900 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	1005 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	730 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	530 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	340 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 240 MM	915 MM	R. Boehlee 078-6230652
1.1191	C45	C 45E 4KT 130 MM	245 MM	R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	670 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 190 MM	757 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 210 MM	485 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 230 MM	3348 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 240 MM	1222 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 260 MM	1600 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 280 MM	725 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 N" RD 380 MM	1678 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355J2 4KT 100 MM +AR	3015 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2 RD 200 MM 3.2 LRS	2660 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 310 MM	2520 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 310 MM	565 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 320 MM	792 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 320 MM	747 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	1218 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	3168 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 360 MM	1438 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 360 MM	745 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 380 MM	1222 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 380 MM	345 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 390 MM	2953 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 410 MM	3885 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 410 MM	293 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 420 MM	3180 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 440 MM	3190 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 450 MM	285 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0570	St52-3	S355J2G3 RD 460 MM	370 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	310 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 470 MM	1605 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 480 MM	1227 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355J2G3+N" RD 200 MM	3165 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 210 MM	2943 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	2500 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	425 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	390 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 230 MM	1540 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 230 MM	1420 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 250 MM	2175 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 270 MM	2060 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 290 MM	1755 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 210 MM	580 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	1495 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	1372 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	1158 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	768 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	328 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	498 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 270 MM	810 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 280 MM	3113 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	1328 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	1192 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	1002 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	605 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355JO RD 300 MM	1422 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 4KT 130 MM	1110 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 4KT 140 MM	1040 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 4KT 160 MM	840 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 65 MM	3130 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 70 MM	3560 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 75 MM	780 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	1330 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 85 MM	1040 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 95 MM	2380 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 100 MM	1500 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 100 MM	1008 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 110 MM	1330 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 110 MM	1060 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	2850 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	930 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	3185 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	405 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	622 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	3860 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	1560 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 140 MM	2690 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 140 MM	760 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	3210 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0553	St52-3	S355JO/2 RD 150 MM	3043 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	1020 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	740 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 160 MM	2595 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 170 MM	2735 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 190 MM	3030 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 190 MM	907 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 200 MM	2570 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 75 MM	3950 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 80 MM	3410 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 85 MM	3100 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 90 MM	1370 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	3130 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	2540 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	1820 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 100 MM	1460 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 110 MM	3925 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 110 MM	2880 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 115 MM	1000 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 120 MM	3245 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 120 MM	2530 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 130 MM	1960 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 130 MM	1135 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 135 MM	2170 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 140 MM	3867 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 150 MM	2565 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 150 MM	580 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 160 MM	2000 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 170 MM	2783 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	1018 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	680 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 220 MM	1840 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 230 MM	1413 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 250 MM	3137 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 270 MM	3280 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 280 MM	2645 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 290 MM	3090 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 290 MM	738 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 300 MM	468 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 310 MM	895 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 360 MM	1065 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 380 MM	1718 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 380 MM	320 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 400 MM	1455 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	1610 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	285 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 440 MM	875 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 460 MM	1010 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr5C/SH RD 60 MM	3270 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 70 MM	2550 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 90 MM	3010 MM	R. Boehlee 078-6230652

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 120 MM	3410 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 120 MM	905 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	3215 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1210 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1163 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 150 MM	760 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 190 MM	767 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 240 MM	1710 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 300 MM	405 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 370 MM	970 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 90 MM	3680 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 95 MM	2102 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 105 MM	1590 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 115 MM	2150 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 140 MM	1547 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	2460 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	1348 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 280 MM	1530 MM		R. Boehlee 078-6230652
1.8519	31CrMoV9	RD 400 31CrMoV9 +QT+SR	3140 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 100 MM	3072 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 100 MM	2665 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 150 MM	2680 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 180 MM	1770 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 70 MM	3810 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 70 MM	1715 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 75 MM	1120 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 85 MM	2260 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 100 MM	1670 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 105 MM	890 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	3090 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	1025 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 120 MM	2890 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 125 MM	3765 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 125 MM	763 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 130 MM	963 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 160 MM	817 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 180 MM	1622 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 180 MM	985 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 180 MM	340 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 190 MM	3578 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	690 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	660 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	645 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	2955 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	825 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	662 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	645 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	493 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	402 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 280 MM	2680 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 290 MM	833 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 340 MM	2020 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 50 MM	2790 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 55 MM	3165 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	3190 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	1295 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 80 MM	3720 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 80 MM	2515 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	2790 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	1700 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 105 MM	3035 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 110 MM	2400 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 115 MM	3840 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 115 MM	3650 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 120 MM	1570 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	2800 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	1705 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	1265 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	1950 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	1700 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	3120 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	2665 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	2030 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	760 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 155 MM	1272 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	2395 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	540 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 165 MM	2747 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	1492 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	1517 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	1492 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	2740 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	2360 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	1535 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	1215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	725 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	605 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	590 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM (RESQ)	3545 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	235 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	465 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 240 MM	3550 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 250 MM	675 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	998 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	2767 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 280 MM	2015 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 280 MM	1460 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	1890 MM		R. Boehlee 078-6230652

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	345 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 300 MM	310 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 280 MM	755 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 280 MM	300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 310 MM	1223 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 310 MM	1203 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	1825 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	488 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	485 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	476 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	440 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	430 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	415 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 340 MM	1278 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 350 MM	395 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 360 MM	515 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 410 MM	200 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 430 MM	1010 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0501	C35 blank	C 35 C/SH RD 60 MM 6 M	3270 MM	K. Meijer 078-6230661
1.0501	C35 blank	C 35 C/SH RD 80 MM 6 M	1870 MM	K. Meijer 078-6230661
1.0501	C35 blank	C 35 C/SH RD 80 MM 6 M	1525 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 70 MM 6 M	3050 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 70 MM 6 M	2285 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 75 MM 6 M	1655 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	3285 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 85 MM 6 M	1545 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 90 MM 6 M	3250 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 90 MM 6 M	1160 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 95 MM 6 M	3050 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 55 MM 6 M	3075 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 100 MM 6 M	3060 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 100 MM 6 M	2410 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 110 MM 6 M	1020 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 125 MM 6 M	2735 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 130 MM 6 M	1730 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 SH RD 120 MM 6 M	1560 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C 4KT 90 MM	1290 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 50 MM 6 M	3965 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 50 MM 6 M	1865 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 50 MM 6 M	1865 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 50 MM 6 M	1865 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 70 MM 6 M	940 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 75 MM 6 M	2570 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 80 MM 6 M	3465 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 90 MM 6 M	495 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 100 MM 6 M	810 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 100 MM 6 M	575 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 120 MM 6 M	650 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 125 MM 6 M	1210 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 150 MM 6 M	2455 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 95 MM 6M	2245 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 110 MM 6M	2180 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 110 MM 6M	535 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 120 MM 6M	1250 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 125 MM 6M	2105 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 130 MM 6M	420 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 140 MM 6M	525 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 150 MM 6M	510 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 160 MM 6M	1150 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C RD 90 MM 6M <small>S = 0,02-0,035%</small>	3130 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QT+C/SH RD 75 MM	3125 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QT+C/SH RD 80 MM	1860 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QT+C/SH RD 90 MM	3890 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QT+C/SH RD 90 MM	1615 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1340 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1325 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C 4KT 80 MM	3005 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 90 MM	525 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 100 MM	905 MM	K. Meijer 078-6230661

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.0715	Aut.staal z. lood	11SMn30C/SH RD 120 MM	2080 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 120 MM	300 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 70 MM	2105 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 110 MM 3000 C	995 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 130 MM	1935 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 140 MM	535 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 120 MM	2065 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30SH RD 100 MM	1140 MM		K. Meijer 078-6230661
1.0762	ETG88	RD 85,72 h12 ETG88 +C+T	1770 MM		K. Meijer 078-6230661

W-nr.		Artikelomschrijving	Lgt	Contact
1.4305	RVS 303	T.303 RD 95 MM	1113 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 95 MM	560 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 110 MM	280 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 120 MM	695 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 125 MM	968 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 130 MM	938 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 130 MM	698 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 145 MM	1052 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 60 MM	1115 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 70 MM	772 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 80 MM	1344 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 100 MM	1125 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 120 MM	942 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 120 MM	690 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 130 MM	708 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 150 MM	770 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 150 MM	249 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 160 MM	710 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 170 MM	877 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 190 MM	1230 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 250 MM	3640 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 260 MM	2469 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 260 MM	398 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	2515 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	732 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 280 MM	1045 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 280 MM	1000 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 300 MM	1228 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 4KT 80 MM	755 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 80 MM	869 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 85 MM	774 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 105 MM	944 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 110 MM	1278 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 120 MM	612 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 160 MM	1290 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 160 MM	847 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 160 MM	769 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 170 MM	718 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 180 MM	1002 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 190 MM	1214 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 200 MM	385 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 220 MM	903 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 230 MM	788 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 260 MM	2246 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 280 MM	2432 MM	R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 150 MM	1206 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1370 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1356 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1354 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1151 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1136 MM	R. den Ouden 078-6230645

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.4104	RVS 430F	T.430 F RD 80 MM	1132 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1090 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1086 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1068 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1065 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1039 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	976 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	965 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	934 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	885 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 100 MM	811 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 130 MM	1207 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 130 MM	480 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 200 MM	571 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 105 MM	1320 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	784 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	734 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 170 MM	686 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 300 MM	750 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 300 MM	401 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	1048 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	912 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	520 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 125 MM	1221 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 130 MM	984 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 160 MM	1259 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 160 MM	967 MM		R. den Ouden 078-6230645
1.4542	RVS 1.4542	W.NR.1.4542+AT RD 180 MM	1020 MM		R. den Ouden 078-6230645

W-nr.		Artikelomschrijving	Lgt	Contact
1.4301	RVS 304 dikw buis	T.304-RD 95 X 50 MM	339 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 100 X 71 MM	1209 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 106 X 80 MM	441 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 112 X 90 MM	389 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 90 MM	500 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 100 MM	1096 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 100 MM	870 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 100 MM	424 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 132 X 90 MM	946 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 132 X 90 MM	900 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 140 X 90 MM	934 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 140 X 112 MM	717 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 150 X 106 MM	1019 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 150 X 106 MM	849 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 160 X 132 MM	1173 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 170 X 130 MM	1286 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 170 X 130 MM	809 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 170 X 140 MM	646 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 180 X 100 MM	771 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 150 MM	1117 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 160 MM	1065 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 200 X 160 MM	1036 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 224 X 180 MM	298 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 236 X 150 MM	630 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 250 X 200 MM	897 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 250 X 200 MM	387 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 80 X 40 MM	661 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 125 X 100 MM	569 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 160 X 112 MM	377 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 180 X 125 MM	872 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	1060 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	593 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	511 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	254 MM	F. Baidenmann 078-6230635

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt	Contact
3.2315	AlMgSi1/51ST	AlMgSi1/51 ST RD 320 MM Gegoten	196 MM	F. Steenbrink 078-6230625
3.2315	AlMgSi1/51ST	RD 360 AlMgSi1 EN AW6082 gegoten	235 MM	F. Steenbrink 078-6230625
3.2315	AlMgSi1/51ST	RD 360 AlMgSi1 EN AW6082 gegoten	190 MM	F. Steenbrink 078-6230625
3.1655	AlCuBiPb/2011	AlCuBiPb/2011 RD 200 MM	1080 MM	F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	419 MM	F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	302 MM	F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	207 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625

Korte stukken 17-1-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 202,0 MM	697 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 232,0 MM	3197 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 232,0 MM	588 MM		T. Salden 078-6230651