

W-nr.		Artikelomschrijving	Lgt		Contact
1.1181	C35	C 35 RD 250 MM	2418 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 110 MM	1040 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 140 MM	870 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 60 MM	1270 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 65 MM	2480 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 70 MM	2710 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 75 MM	930 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1730 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1515 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1515 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	375 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	2610 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	2600 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	2550 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	2410 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	1485 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	1410 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	1110 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	2470 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	1370 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	1370 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	2990 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	2990 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	2750 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	1755 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	900 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	1180 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	2395 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	2360 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 105 MM	545 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	2700 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	2570 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	540 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	1960 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	1640 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	390 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	2190 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	1675 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	1425 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	1225 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	625 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	2930 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	2665 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	920 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	680 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 135 MM	2385 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	1738 MM		R. Boehlee 078-6230652

Korte stukken 16-11-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.1191	C45	C 45 RD 140 MM	1355 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	500 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	290 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 145 MM	2735 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 145 MM	540 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	2588 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	2408 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	1215 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	695 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	390 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	2190 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	890 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	217 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	200 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	2137 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	1923 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	1910 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	892 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 165 MM	368 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 170 MM	2393 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 175 MM	2710 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 175 MM	2660 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 175 MM	2153 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 175 MM	822 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	1390 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	858 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	568 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	535 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 190 MM	342 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 200 MM	2718 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 200 MM	1165 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 200 MM	327 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 210 MM	2290 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 210 MM	600 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 220 MM	2110 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 220 MM	1520 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 220 MM	985 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	2650 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	2375 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	1640 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	835 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	220 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 260 MM	1655 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	1900 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	295 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 290 MM	805 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 290 MM	270 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 230 MM	2790 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 230 MM	280 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 230 MM	160 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	2138 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.1191	C45	C 45 N" RD 310 MM	1630 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	890 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	680 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	580 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 320 MM	2645 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 320 MM	688 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 320 MM	488 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 320 MM	305 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 340 MM	110 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 350 MM	2640 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 360 MM	2635 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 360 MM	927 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 360 MM	375 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 370 MM	2698 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	2265 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	1032 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	317 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	205 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 390 MM	1440 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 390 MM	725 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 390 MM	110 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 430 MM	1725 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 440 MM	1870 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 460 MM	2430 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 460 MM	1240 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	405 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	230 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 490 MM	368 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 200 MM	1375 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 200 MM	850 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 210 MM	2825 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	293 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	325 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	298 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	1060 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	1045 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	833 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	294 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 260 MM	180 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 270 MM	1965 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 270 MM	1460 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 280 MM	1700 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 300 MM	225 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 300 MM	165 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	2085 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	1040 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	230 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	220 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	170 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 240 MM	305 MM		R. Boehlee 078-6230652
1.1191	C45	C 45 RD 240 MM	135 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.1191	C45	C 45E 4KT 130 MM	170 MM		R. Boehlee 078-6230652
1.1191	C45	C 45E 4KT 130 MM	71 MM		R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	560 MM		R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	310 MM		R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	233 MM		R. Boehlee 078-6230652
1.1201	C45	C 45 N" RD 290 MM	1745 MM		R. Boehlee 078-6230652
1.1201	C45	C 45 N" RD 290 MM	225 MM		R. Boehlee 078-6230652
1.1201	C45	C 45 N" RD 290 MM	215 MM		R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	1790 MM		R. Boehlee 078-6230652
1.1201	C45	RD 130 C45R+N	1865 MM		R. Boehlee 078-6230652
1.1201	C45	RD 180 EN 10060 C45R +N	995 MM		R. Boehlee 078-6230652
1.1221	C60	C 60 RD 190 MM	757 MM		R. Boehlee 078-6230652
1.1221	C60	C 60 RD 210 MM	485 MM		R. Boehlee 078-6230652
1.1221	C60	C 60 RD 240 MM	1222 MM		R. Boehlee 078-6230652
1.1221	C60	C 60 RD 260 MM	1600 MM		R. Boehlee 078-6230652
1.1221	C60	C 60 RD 280 MM	725 MM		R. Boehlee 078-6230652
1.1221	C60	C 60 N" RD 380 MM	1088 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 210 MM	325 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	2622 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	815 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	390 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 230 MM	863 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 240 MM	2290 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 240 MM	1200 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 240 MM	663 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 250 MM	370 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 270 MM	1957 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 280 MM	2388 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 210 MM	1260 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	673 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	670 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	415 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	230 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	2795 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	1778 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	1480 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	1270 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	565 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	240 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	2150 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	1873 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	773 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	328 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	2235 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	2188 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	1983 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	1765 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	1167 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	595 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	370 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 260 MM	1205 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.0553	St52-3	S355JO RD 270 MM	1420 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 270 MM	1357 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 280 MM	1043 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 280 MM	325 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 280 MM	300 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	485 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 4KT 200 MM	972 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 75 MM	2720 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	2580 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	2310 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	2240 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	1695 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	970 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	610 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 80 MM	400 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 85 MM	2720 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 85 MM	2130 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 85 MM	1680 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 105 MM	1745 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 105 MM	1210 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 110 MM	740 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 115 MM	2900 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1080 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1080 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1080 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1080 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	870 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	1893 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	1318 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	405 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	690 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	470 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	295 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	1135 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	475 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	380 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 140 MM	600 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 140 MM	490 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 140 MM	450 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 145 MM	1733 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 145 MM	925 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	1625 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	815 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	675 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	517 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	285 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 150 MM	285 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 155 MM	2705 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	1720 MM		R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	1480 MM		R. Boehlee 078-6230652
1.0570	St52-3	S355J2 RD 200 MM 3.2 LRS	2660 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0577	St52-3	S355J2G3+N" RD 200 MM	1820 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355J2G3+N" RD 200 MM	295 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355JO RD 300 MM	940 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355JO RD 300 MM	575 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 160 EN 10060 S355J2 +N	2420 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 160 EN 10060 S355J2 +N	1715 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 170 EN 10060 S355J2 +N	710 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 180 EN 10060 S355J2 +N	1610 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 180 EN 10060 S355J2 +N	155 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 330 S355J2G3 +N	1430 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	2335 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	1915 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	405 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	405 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	280 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	225 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	155 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	1165 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	355 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	320 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	260 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 360 MM	215 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 370 MM	2943 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 370 MM	1030 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 370 MM	390 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 380 MM	2040 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 380 MM	1003 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 380 MM	367 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 380 MM	300 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 400 MM	1310 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 410 MM	209 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 420 MM	485 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 430 MM	335 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 440 MM	2495 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 440 MM	1760 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 450 MM	1130 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 450 MM	285 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	640 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	275 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	250 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 470 MM	1150 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 540 MM	525 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 620 MM	450 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 70 MM	1800 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 80 MM	2700 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 80 MM	1650 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 90 MM	1390 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	1820 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 100 MM	770 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 100 MM	745 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 105 MM	2720 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.7131	16MnCr5	16MnCr(S)5 RD 105 MM	510 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 110 MM	1360 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 110 MM	650 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 115 MM	1000 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 120 MM	1790 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 130 MM	2115 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 130 MM	1050 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 135 MM	2170 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 140 MM	510 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 150 MM	580 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 160 MM	2000 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 170 MM	1090 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 180 MM	778 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	1018 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	568 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 220 MM	1415 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 230 MM	610 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 250 MM	2715 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 270 MM	2250 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 280 MM	1898 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 290 MM	622 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 300 MM	2510 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 310 MM	895 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 340 MM	1195 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 360 MM	2540 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 360 MM	258 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 400 MM	650 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	212 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 440 MM	535 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 440 MM	238 MM		R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 460 MM	220 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 80 MM	1215 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 100 MM	1350 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 110 MM	880 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1210 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1163 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 140 MM	2620 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 150 MM	760 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 190 MM	470 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 240 MM	1710 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 300 MM	405 MM		R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 400 MM	2785 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 95 MM	2102 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 105 MM	1590 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 115 MM	2150 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 140 MM	1547 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	958 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	340 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 200 MM	1065 MM		R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 280 MM	235 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 100 MM	1480 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 150 MM	2680 MM		R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 180 MM	1770 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 65 MM	650 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 70 MM	1670 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 75 MM	1190 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 90 MM	945 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 100 MM	1420 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	2270 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	1100 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	600 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	580 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	500 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 120 MM	1410 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 120 MM	870 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 125 MM	2255 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 130 MM	2415 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 130 MM	1505 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 130 MM	572 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 140 MM	1477 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 140 MM	630 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 140 MM	625 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 150 MM	1902 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 150 MM	1050 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 160 MM	640 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 170 MM	1445 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 170 MM	830 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 170 MM	485 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 180 MM	340 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 190 MM	1045 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 190 MM	910 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 200 MM	912 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 210 MM	1595 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	2440 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	1725 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	980 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	323 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 240 MM	1905 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 240 MM	1045 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 240 MM	360 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 250 MM	530 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	740 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	660 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	445 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	1887 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	980 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	825 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	662 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	645 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	493 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	402 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	398 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 280 MM	835 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 290 MM	615 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 320 MM	1690 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 330 MM	240 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 330 MM	160 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 340 MM	598 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT' RD 360 MM	135 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 400 MM	385 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 45 MM	1085 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 50 MM	1990 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 60 MM	1125 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2400 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2080 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	480 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	1525 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	740 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	490 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 75 MM	2850 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 75 MM	2625 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 75 MM	1680 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 75 MM	355 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	1685 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	1300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	925 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	570 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	2105 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	1510 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	1420 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 95 MM	2590 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 95 MM	2105 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 95 MM	1800 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 95 MM	1600 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	1590 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	555 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 105 MM	2780 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 105 MM	230 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 105 MM	215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 110 MM	500 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 115 MM	1560 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 120 MM	1900 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 120 MM	1390 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	2380 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	1895 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	1125 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	475 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	380 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	2870 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	2600 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	1150 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	900 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	870 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	1590 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	275 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	275 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	240 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	1210 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	320 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	295 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 145 MM	1813 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	2030 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	735 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	460 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	160 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 155 MM	400 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	200 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 165 MM	743 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	1178 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	852 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	672 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	333 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	2820 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	2360 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	1260 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	2141 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	610 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	305 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	230 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	140 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	2790 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	1375 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM (RESQ)	300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 210 MM	2750 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 210 MM	355 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	1365 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	785 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	775 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	425 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	405 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	265 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	140 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	2060 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	610 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	185 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 230 MM	120 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 240 MM	2700 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 240 MM	1995 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 250 MM	1720 MM		R. Boehlee 078-6230652

Korte stukken 16-11-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMo(S)4+QT RD 250 MM	363 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 250 MM	135 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	1755 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	1165 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	570 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	350 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	2258 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	1782 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	440 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	350 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	285 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	236 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 280 MM	553 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	1330 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	395 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 300 MM	1930 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 290 MM	1420 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 320 MM	525 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	2620 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	950 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	550 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	488 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	485 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	468 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	467 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	435 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	415 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	408 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	338 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	323 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 380 MM	2345 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 430 MM	390 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.0501	C35 blank	C35+C Ø 80 mm	1870 MM		K. Meijer 078-6230661
1.0501	C35 blank	C35+C Ø 80 mm	1525 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+C/SH Ø 75 mm	1655 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+C/SH Ø 80 mm	1735 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+C/SH Ø 80 mm	1725 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+C/SH Ø 80 mm	1725 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+C/SH Ø 80 mm	1720 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+C/SH Ø 80 mm	800 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+C/SH Ø 80 mm	560 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+SH Ø 100 mm	1795 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+SH Ø 100 mm	790 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+SH Ø 125 mm	2735 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+SH Ø 150 mm	1075 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+SH Ø 85 mm	2050 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+SH Ø 85 mm	2050 MM		K. Meijer 078-6230661
1.0503	C45 blank	C45+SH Ø 85 mm	2050 MM		K. Meijer 078-6230661
1.0503	C45 blank	FL 100 x 70 h11 C45 +C	1165 MM		K. Meijer 078-6230661
1.0503	C45 blank	FL 80 x 60 h11 C45 +C	275 MM		K. Meijer 078-6230661
1.0503	C45 blank	FL 80 x 60 h11 C45 +C	230 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2+C 4KT 90 mm	1290 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2+C/SH Ø 70 mm	670 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2+C/SH Ø 75 mm	560 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2+C/SH Ø 75 mm	480 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2+SH Ø 120 mm	2485 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2+SH Ø 120 mm	650 MM		K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 150 MM 6 M	2230 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C/SH Ø 40 mm	735 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C/SH Ø 80 mm	400 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C/SH Ø 80 mm	395 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 100 mm	500 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 110 mm	2975 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 115 mm	2025 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 130 mm	555 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 160 mm	1310 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 160 mm	1300 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 85 mm	2940 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 90 mm	1135 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QT+C/SH RD 75 MM	1780 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1535 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1520 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1515 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1490 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1435 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1435 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1340 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1325 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	1305 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	910 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	815 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	795 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	790 MM		K. Meijer 078-6230661

Korte stukken 16-11-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	710 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 100 mm	435 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 70 mm	1025 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 80 mm	1075 MM		K. Meijer 078-6230661
1.7225	42CrMo4	42CrMoS4QT+SH Ø 90 mm	1890 MM		K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+SH Ø 95 mm	1515 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30+C/SH Ø 70 mm	2105 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30+SH Ø 120 mm	300 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30+SH Ø 140 mm	1270 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30+SH Ø 150 mm	1115 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30+SH Ø 90 mm	1000 MM		K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30+SH Ø 90 mm	525 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30+SH Ø 100 mm	2035 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30+SH Ø 100 mm	840 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30+SH Ø 120 mm	2080 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30+SH Ø 90 mm	2850 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 95 MM	375 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 95 MM	375 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 95 MM	375 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 95 MM	375 MM		K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 95 MM	375 MM		K. Meijer 078-6230661

W-nr.		Artikelomschrijving	Lgt		Contact
1.4305	RVS 303	T.303 RD 70 MM	1009 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 80 MM	1003 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 90 MM	729 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 90 MM	572 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 120 MM	1120 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 125 MM	1085 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 130 MM	1422 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 140 MM	1386 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 140 MM	496 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 150 MM	938 MM		R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 220 MM	1068 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 85 MM	745 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 85 MM	742 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 90 MM	810 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 105 MM	1276 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 150 MM	779 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 160 MM	193 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 190 MM	778 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 200 MM	1105 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 200 MM	919 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 230 MM	683 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 250 MM	930 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 260 MM	405 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	2280 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	921 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	324 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	220 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 300 MM	2335 MM		R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 300 MM	474 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 75 MM	687 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 85 MM	1051 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 85 MM	976 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 105 MM	553 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 120 MM	1207 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 120 MM	390 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 160 MM	1246 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 180 MM	1202 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 180 MM	354 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 260 MM	862 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 280 MM	290 MM		R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 300 MM	630 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 90 MM	762 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 100 MM	987 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 100 MM	981 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 100 MM	381 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 150 MM	355 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 150 MM	260 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 170 MM	875 MM		R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 170 MM	568 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1370 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1356 MM		R. den Ouden 078-6230645

W-nr.		Artikelomschrijving	Lgt		Contact
1.4104	RVS 430F	T.430 F RD 80 MM	1354 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1258 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1255 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1151 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1136 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1132 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1090 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1086 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1065 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1039 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	976 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	965 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	934 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	822 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	822 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 100 MM	2550 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 200 MM	221 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 230 MM	1059 MM		R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 230 MM	153 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 60 MM	1165 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 60 MM	1162 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 100 MM	1123 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 105 MM	1320 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 105 MM	1116 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	784 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	734 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 170 MM	687 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 300 MM	141 MM		R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	475 MM		R. den Ouden 078-6230645
1.4021	RVS 1.4021	RD 105 1.4021 +QT800+SH	628 MM		R. den Ouden 078-6230645
1.4021	RVS 1.4021	RD 240 1.4021 +QT800+SH	289 MM		R. den Ouden 078-6230645
1.4021	RVS 1.4021	W.NR.1.4021 RD 160 MM	612 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	827 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	429 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	422 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	408 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	380 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	362 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 110 MM	346 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 130 MM	1255 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 130 MM	984 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 150 MM	838 MM		R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 160 MM	967 MM		R. den Ouden 078-6230645
1.4112	RVS 1.4112	W.NR.1.4112 +A+SH RD 110 MM	1129 MM		R. den Ouden 078-6230645
1.4112	RVS 1.4112	W.NR.1.4112 +A+SH RD 110 MM	716 MM		R. den Ouden 078-6230645
1.4112	RVS 1.4112	W.NR.1.4112 +A+SH RD 110 MM	295 MM		R. den Ouden 078-6230645
1.4125	RVS 1.4125 (440C)	T.440C RD 150 MM	1103 MM		R. den Ouden 078-6230646
1.4125	RVS 1.4125 (440C)	T.440C RD 180 MM	1227 MM		R. den Ouden 078-6230646
1.4542	RVS 1.4542	W.NR.1.4542+AT RD 180 MM	1020 MM		R. den Ouden 078-6230645

W-nr.		Artikelomschrijving	Lgt		Contact
1.4301	RVS 304 dikw buis	T.304-RD 85 X 45 MM	914 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 106 X 56 MM	500 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 112 X 71 MM	862 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 71 MM	904 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 100 MM	826 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 132 X 90 MM	946 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 140 X 112 MM	680 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 140 X 112 MM	610 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 140 X 112 MM	589 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 150 X 80 MM	991 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 150 X 106 MM	1002 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 150 X 125 MM	519 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 132 MM	776 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 150 MM	1117 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 160 MM	1146 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 200 X 160 MM	483 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 236 X 150 MM	630 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 236 X 190 MM	450 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 250 X 200 MM	619 MM		F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 250 X 200 MM	306 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 63 X 40 MM	594 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 80 X 40 MM	661 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 80 X 50 MM	748 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 90 / 50 MM	948 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 132 X 106 MM	831 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 140 X 112 MM	175 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 140 X 112 MM	171 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 140 X 112 MM	169 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 150 X 95 MM	424 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 150 X 106 MM	1098 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 150 X 106 MM	615 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 150 X 106 MM	496 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 160 X 112 MM	1061 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 160 X 132 MM	788 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 170 X 140 MM	975 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 212 X 150 MM	340 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	593 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	293 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	672 MM		F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	511 MM		F. Baidenmann 078-6230635

Korte stukken 16-11-2018

W-nr.		Artikelomschrijving	Lgt		Contact
3.2315	AlMgSi1/51ST	AlMgSi1/51 ST RD 320 MM Gegoten	196 MM		F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	419 MM		F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	302 MM		F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	207 MM		F. Steenbrink 078-6230625

Korte stukken 16-11-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 202,0 MM	697 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 222,0 MM	2482 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 232,0 MM	588 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 313,0 MM	1553 MM		T. Salden 078-6230651