

Korte stukken 19-4-2018

W-nr.		Artikelomschrijving	Lgt	Contact
1.1181	C35	C 35 RD 180 MM	1167 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 110 MM	2040 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 140 MM	2820 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 4KT 140 MM	1825 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 60 MM	1270 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 70 MM	950 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 75 MM	1060 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 75 MM	930 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1930 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	1380 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	300 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 80 MM	140 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 85 MM	1595 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	2205 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 90 MM	790 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	2980 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	2720 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 95 MM	790 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	875 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	875 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	500 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 100 MM	500 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 110 MM	2070 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	2550 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 115 MM	1660 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	1058 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 120 MM	875 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	2710 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 125 MM	847 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1480 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1410 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1270 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	1035 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	715 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 130 MM	402 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 135 MM	1420 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 135 MM	1028 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	2920 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 140 MM	740 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	1533 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 150 MM	410 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	1865 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	610 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	600 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	482 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 160 MM	415 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 170 MM	1890 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 170 MM	270 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	1865 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	1402 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 180 MM	900 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.1191	C45	C 45 RD 180 MM	700 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 200 MM	895 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 210 MM	2930 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 220 MM	2575 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 220 MM	373 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	1640 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 250 MM	340 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 260 MM	515 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 260 MM	210 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	463 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 270 MM	448 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 280 MM	2325 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 280 MM	265 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 290 MM	995 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	378 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 RD 300 MM	370 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 230 MM	635 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	1675 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 310 MM	390 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 320 MM	2948 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 330 MM	640 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 340 MM	110 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 360 MM	2635 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 360 MM	375 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	648 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 380 MM	580 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 390 MM	785 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 400 MM	2123 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 410 MM	1900 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 450 MM	1073 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 460 MM	1240 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	488 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 470 MM	230 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 490 MM	368 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	1825 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 190 MM	1443 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 200 MM	2258 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 200 MM	1955 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	1860 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	1420 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	925 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 220 MM	293 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	970 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	445 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	415 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 240 MM	298 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	1475 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	840 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 250 MM	820 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 260 MM	1960 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 260 MM	180 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.1191	C45	C 45 N" RD 270 MM	705 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 280 MM	1748 MM	R. Boehlee 078-6230652
1.1201	C45	C 45 N" RD 290 MM	1315 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 300 MM	1800 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 N" RD 300 MM	360 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	2875 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	2543 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	1745 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 230 MM	220 MM	R. Boehlee 078-6230652
1.1191	C45	C 45 RD 240 MM	135 MM	R. Boehlee 078-6230652
1.1191	C45	C 45E 4KT 130 MM	1450 MM	R. Boehlee 078-6230652
1.1191	C45	C 45E 4KT 130 MM	125 MM	R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	2020 MM	R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	2000 MM	R. Boehlee 078-6230652
1.1201	C45	RD 100 EN 10060 C45R +N	670 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 190 MM	757 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 210 MM	485 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 240 MM	1222 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 260 MM	1600 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 RD 280 MM	725 MM	R. Boehlee 078-6230652
1.1221	C60	C 60 N" RD 380 MM	1678 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 160 EN 10060 S355J2 +N	1715 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 170 EN 10060 S355J2 +N	710 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 180 EN 10060 S355J2 +N	835 MM	R. Boehlee 078-6230652
1.0570	St52-3	RD 330 S355J2G3 +N	715 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2 RD 200 MM 3.2 LRS	2660 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2+N RD 120 MM 3.2+LRS	410 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 320 MM	2825 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	2183 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	1240 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	405 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 340 MM	405 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 350 MM	1700 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 360 MM	298 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 360 MM	215 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 370 MM	1558 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 370 MM	1030 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 390 MM	2140 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 400 MM	2645 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 410 MM	2805 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 440 MM	2595 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 440 MM	2495 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 450 MM	1187 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 450 MM	285 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	370 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 460 MM	275 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 470 MM	1540 MM	R. Boehlee 078-6230652
1.0570	St52-3	S355J2G3 RD 480 MM	1095 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355J2G3+N" RD 200 MM	2645 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 210 MM	930 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 210 MM	885 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0553	St52-3	S355J2G3+N" RD 220 MM	425 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 220 MM	390 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 230 MM	1495 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 250 MM	1320 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 270 MM	1957 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355J2G3+N" RD 290 MM	495 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 210 MM	1335 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 210 MM	393 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 210 MM	215 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	250 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 220 MM	215 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	2145 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 230 MM	1270 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 240 MM	328 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	500 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 250 MM	425 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 260 MM	1105 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 260 MM	965 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 260 MM	340 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 270 MM	2835 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 280 MM	675 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	1070 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	535 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO RD 290 MM	293 MM	R. Boehlee 078-6230652
1.0577	St52-3	S355JO RD 300 MM	370 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 4KT 140 MM	1040 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 4KT 160 MM	840 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 75 MM	1930 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 75 MM	780 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 85 MM	1500 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 100 MM	2637 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 100 MM	1935 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 100 MM	540 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 105 MM	1210 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 110 MM	1360 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 120 MM	1715 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	2010 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	2010 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 125 MM	405 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	715 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 130 MM	458 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	2050 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 135 MM	475 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 160 MM	1060 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 160 MM	360 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	782 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	588 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 180 MM	335 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 200 MM	2570 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 200 MM	2465 MM	R. Boehlee 078-6230652
1.0553	St52-3	S355JO/2 RD 200 MM	1718 MM	R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.7131	16MnCr5	16MnCr(S)5 RD 80 MM	1960 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 90 MM	1370 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	2540 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 95 MM	1820 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 115 MM	1000 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 120 MM	2530 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 130 MM	1960 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 135 MM	2170 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 140 MM	2090 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 150 MM	2565 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 150 MM	580 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 160 MM	2000 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 170 MM	1970 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	1018 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 210 MM	680 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 220 MM	1840 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 230 MM	610 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 280 MM	2547 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5 RD 290 MM	622 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 310 MM	895 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 360 MM	1065 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 380 MM	848 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 380 MM	320 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 390 MM	2470 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 400 MM	870 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	2377 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	335 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 420 MM	212 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 440 MM	518 MM	R. Boehlee 078-6230652
1.7131	16MnCr5	16MnCr(S)5' RD 460 MM	835 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 70 MM	2550 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 80 MM	2140 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 100 MM	2500 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1210 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 130 MM	1163 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 150 MM	760 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 190 MM	767 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 240 MM	1710 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 300 MM	405 MM	R. Boehlee 078-6230652
1.6587	18CrNiMo7-6	18CrNiMo7-6 RD 370 MM	970 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 95 MM	2102 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 105 MM	1590 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 115 MM	2150 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 140 MM	1547 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	958 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 160 MM	340 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 200 MM	1065 MM	R. Boehlee 078-6230652
1.6580	30CrNiMo8	30CrNiMo8+QT RD 280 MM	1133 MM	R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 100 MM	1480 MM	R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 150 MM	2680 MM	R. Boehlee 078-6230652
1.8550	34CrAlNi7-10	34CrAlNi7+QT RD 180 MM	1770 MM	R. Boehlee 078-6230652

Korte stukken 19-4-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.6582	34CrNiMo6	34CrNiMo6+QT RD 35 MM	2645 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 70 MM	1715 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 75 MM	1120 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 80 MM	1610 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 90 MM	945 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 105 MM	890 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	1080 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	1025 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 110 MM	600 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 120 MM	2430 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 125 MM	2255 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 125 MM	1990 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 130 MM	572 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 140 MM	1425 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 170 MM	2710 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 170 MM	1805 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 180 MM	1622 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 180 MM	340 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 190 MM	1045 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 200 MM	2715 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 210 MM	1595 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	2620 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	1725 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 230 MM	510 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 240 MM	1045 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 240 MM	463 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 250 MM	530 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	660 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 260 MM	585 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	1887 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	980 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	825 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	766 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	662 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	645 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	493 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	402 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 270 MM	398 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 280 MM	2680 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 290 MM	723 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 320 MM	1690 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 340 MM	598 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 400 MM	1495 MM		R. Boehlee 078-6230652
1.6582	34CrNiMo6	34CrNiMo6+QT RD 410 MM	1162 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 45 MM	1085 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 50 MM	2790 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2600 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2400 MM		R. Boehlee 078-6230652

Tussentijdse verkopen voorbehouden.

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2280 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2090 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2080 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 65 MM	2000 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	1295 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	1095 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 70 MM	740 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 80 MM	700 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 80 MM	355 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 80 MM	355 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	2115 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	570 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 85 MM	215 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	2010 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	120 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 90 MM	115 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 95 MM	2470 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	2680 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	1555 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	870 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 100 MM	410 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 105 MM	2030 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 110 MM	1830 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 115 MM	980 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 115 MM	300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 120 MM	1820 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	2085 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 125 MM	740 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 130 MM	2010 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	2205 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	1950 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	470 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	290 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	290 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 135 MM	250 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 140 MM	320 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 145 MM	1925 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 145 MM	1813 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 145 MM	1780 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	2030 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	1003 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	850 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 150 MM	830 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 155 MM	1272 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 155 MM	400 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	1090 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	865 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	543 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 160 MM	380 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt		Contact
1.7225	42CrMo4	42CrMo(S)4+QT RD 165 MM	743 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	822 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 170 MM	200 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	2043 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	650 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	555 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 180 MM	380 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	2220 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	335 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	325 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	295 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	230 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	195 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 190 MM	120 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	1535 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	763 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	730 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	605 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	525 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM	480 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM (RESQ)	355 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 200 MM (RESQ)	300 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	405 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 220 MM	235 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 240 MM	2480 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 240 MM	1600 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	445 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 260 MM	270 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	1280 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 270 MM	530 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 280 MM	2155 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 290 MM	730 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 300 MM	2605 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 300 MM	565 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 300 MM	330 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT RD 300 MM	275 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 310 MM	1203 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 310 MM	508 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 320 MM	1040 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 320 MM	405 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	550 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	488 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	485 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	476 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	440 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 330 MM	415 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 410 MM	218 MM		R. Boehlee 078-6230652
1.7225	42CrMo4	42CrMo(S)4+QT' RD 430 MM	865 MM		R. Boehlee 078-6230652

W-nr.		Artikelomschrijving	Lgt	Contact
1.0501	C35 blank	C 35 C/SH RD 80 MM 6 M	1870 MM	K. Meijer 078-6230661
1.0501	C35 blank	C 35 C/SH RD 80 MM 6 M	1525 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 70 MM 6 M	1280 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 75 MM 6 M	1655 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	1735 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	1735 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 80 MM 6 M	1730 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 85 MM 6 M	1240 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 90 MM 6 M	2165 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 90 MM 6 M	1985 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C RD 90 MM 6 M	1160 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 100 MM 6 M	2460 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 125 MM 6 M	2735 MM	K. Meijer 078-6230661
1.0503	C45 blank	C 45 C/SH RD 130 MM 6 M	1275 MM	K. Meijer 078-6230661
1.0503	C45 blank	FL 100 x 70 h11 C45 +C	565 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C 4KT 90 MM	1290 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 70 MM 6 M	2175 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 70 MM 6 M	940 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 75 MM 6 M	560 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 100 MM 6 M	2985 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 110 MM 6 M	2055 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 110 MM 6 M	2035 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 120 MM 6 M	650 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 125 MM 6 M	1210 MM	K. Meijer 078-6230661
1.0122	St37K	S235JRG2C RD 150 MM 6 M	1205 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 40 MM 6M	735 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 70 MM 6M	2980 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 110 MM 6M	535 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 115 MM 6M	2215 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 120 MM 6M	2995 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 125 MM 6M	1105 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 140 MM 6M	290 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C/SH RD 150 MM 6M	510 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C RD 100 MM 6M <small>S = 0,02-0,035%</small>	1735 MM	K. Meijer 078-6230661
1.0579	St52-3 blank	S355J2C+C RD 100 MM 6M <small>S = 0,02-0,035%</small>	1600 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QT+C/SH RD 80 MM	1095 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1340 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1325 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1305 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	1300 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	910 MM	K. Meijer 078-6230661
1.7225	42CrMo4	42CrMo4QTSH RD 100 MM	900 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30C/SH RD 90 MM	525 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 70 MM	2105 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 110 MM 3000 C	995 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 130 MM	1935 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 140 MM	595 MM	K. Meijer 078-6230661
1.0715	Aut.staal z. lood	11SMn30SH RD 150 MM	2795 MM	K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30C/SH RD 85 MM	1840 MM	K. Meijer 078-6230661
1.0718	Aut.staal met lood	11SMnPb30SH RD 100 MM	2390 MM	K. Meijer 078-6230661
1.0762	ETG88	RD 85,72 h12 ETG88 +C+T	1770 MM	K. Meijer 078-6230661

W-nr.		Artikelomschrijving	Lgt	Contact
1.4305	RVS 303	T.303 RD 130 MM	1150 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 150 MM	200 MM	R. den Ouden 078-6230645
1.4305	RVS 303	T.303 RD 180 MM	488 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 100 MM	1038 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 105 MM	500 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 110 MM	533 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 130 MM	660 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 130 MM	509 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 140 MM	486 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 150 MM	200 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 180 MM	469 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 200 MM	1126 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 210 MM	870 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 210 MM	215 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 210 MM	210 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 220 MM	555 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 230 MM	936 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 260 MM	1745 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	2515 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	1212 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	1083 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 270 MM	732 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 280 MM	2823 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 280 MM	650 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 280 MM	518 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 RD 300 MM	1148 MM	R. den Ouden 078-6230645
1.4301	RVS 304	T.304 4KT 80 MM	755 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 75 MM	315 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 80 MM	310 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 85 MM	976 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 100 MM	403 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 110 MM	499 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 120 MM	838 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 125 MM	1257 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 125 MM	1237 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 125 MM	1177 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 180 MM	1002 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 220 MM	1189 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 230 MM	1282 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 230 MM	387 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 230 MM	169 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 250 MM	1479 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 280 MM	264 MM	R. den Ouden 078-6230645
1.4404	RVS 316(L)	T.316"L" RD 300 MM	2886 MM	R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 150 MM	1206 MM	R. den Ouden 078-6230645
1.4462	RVS 1.4462 (duplex)	W.NR.1.4462 RD 270 MM	626 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1370 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1356 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1354 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1151 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1136 MM	R. den Ouden 078-6230645

Korte stukken 19-4-2018

W-nr.		Artikelomschrijving	Lgt	Contact
1.4104	RVS 430F	T.430 F RD 80 MM	1132 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1090 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1086 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1068 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1065 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	1039 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	976 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	965 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	934 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	885 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 80 MM	445 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 100 MM	811 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 130 MM	574 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 180 MM	1068 MM	R. den Ouden 078-6230645
1.4104	RVS 430F	T.430 F RD 200 MM	520 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 105 MM	1320 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	784 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 130 MM	734 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 170 MM	687 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 170 MM	263 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 300 MM	750 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 300 MM	401 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	1048 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	912 MM	R. den Ouden 078-6230645
1.4057	RVS 431	T.431 RD 210 MM	520 MM	R. den Ouden 078-6230645
1.4112	RVS 1.4112	W.NR.1.4112 +A+SH RD 110 MM	973 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 125 MM	1221 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 130 MM	984 MM	R. den Ouden 078-6230645
1.4122	RVS 1.4122	W.NR.1.4122 RD 160 MM	967 MM	R. den Ouden 078-6230645
1.4542	RVS 1.4542	W.NR.1.4542+AT RD 180 MM	1020 MM	R. den Ouden 078-6230645

W-nr.		Artikelomschrijving	Lgt	Contact
1.4301	RVS 304 dikw buis	T.304-RD 71 X 36 MM	1279 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 80 X 50 MM	980 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 90 X 50 MM	900 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 95 X 50 MM	339 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 100 X 56 MM	746 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 100 X 71 MM	1209 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 100 X 71 MM	1020 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 100 X 71 MM	723 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 106 X 56 MM	634 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 106 X 80 MM	441 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 112 X 71 MM	1009 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 118 X 90 MM	670 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 100 MM	1065 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 100 MM	826 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 125 X 100 MM	435 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 132 X 90 MM	946 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 140 X 90 MM	934 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 140 X 112 MM	1114 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 170 X 130 MM	665 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 170 X 130 MM	283 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 170 X 140 MM	646 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 180 X 100 MM	498 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 180 X 140 MM	1075 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 132 MM	776 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 150 MM	1117 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 160 MM	1146 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 190 X 160 MM	1065 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 200 X 160 MM	1036 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 236 X 150 MM	630 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 250 X 200 MM	759 MM	F. Baidenmann 078-6230635
1.4301	RVS 304 dikw buis	T.304-RD 250 X 200 MM	619 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 80 X 40 MM	661 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 90 / 50 MM	1114 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 90 / 50 MM	948 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 150 X 95 MM	1078 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 170 X 140 MM	975 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 180 X 125 MM	872 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 212 X 150 MM	1034 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	593 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 224 X 180 MM	293 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	511 MM	F. Baidenmann 078-6230635
1.4401	RVS 316 dikw buis	T.316-RD 250 X 200 MM	254 MM	F. Baidenmann 078-6230635

Korte stukken 19-4-2018

W-nr.		Artikelomschrijving	Lgt	Contact
3.2315	AlMgSi1/51ST	AlMgSi1/51 ST RD 320 MM Gegoten	196 MM	F. Steenbrink 078-6230625
3.2315	AlMgSi1/51ST	RD 360 AlMgSi1 EN AW6082 gegoten	190 MM	F. Steenbrink 078-6230625
3.1655	AlCuBiPb/2011	AlCuBiPb/2011 RD 180 MM	1088 MM	F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	419 MM	F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	302 MM	F. Steenbrink 078-6230625
3.1645	AlCuMgPb	RD 310 EN AW2007	207 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625
3.4365	AlZnMgCu1,5	AlZnMgCu 1,5 Rd 330 MM	225 MM	F. Steenbrink 078-6230625

Korte stukken 19-4-2018

W-nr.		Artikelomschrijving	Lgt		Contact
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 202,0 MM	697 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 232,0 MM	588 MM		T. Salden 078-6230651
1.2379	W-nr. 1.2379	W.NR.1.2379 RD 313,0 MM	1553 MM		T. Salden 078-6230651